Data Sheet
FUJITSU Tablet STYLISTIC Q555

Versatile Business Tablet

The FUJITSU Tablet STYLISTIC Q555 provides full office productivity for mobilized roles in enterprises or government. It is a perfect companion, weighing only 655 g (1.46 lbs) in a thin design with 10 hours battery life and 2 in 1 design with an attachable keyboard. The toughened, bright 25.7 cm (10.1-inch) anti-glare WUXGA display supports pen input, enabling paperless workflows. Latest NFC and 4G/LTE connectivity let you stay connected and enable forward-thinking authentication and data sharing. Enterprise-grade security features provide maximum data protection and an optional cradle delivers a desktop-like experience in the office.



Adaptable 2 in 1 design for boosted efficiency
Enjoy the flexibility of a tablet and the productivity of a notebook in one device
- Optional keyboard for productivity outside the office while an optional cradle delivers a desktop-like experience in the office



Convenient working
Comfortable handling and long runtime
- Bright, toughened anti-glare display with multi-touch and pen input supporting audit-proof signature, super lightweight and up to 10 hours of battery runtime

Ultimate security
Protect your company data against fraud access
- Embedded TPM, various authentication methods with optional embedded SmartCard reader, fingerprint sensor or even contactless SmartCard



Enterprise-grade connectivity
Connect and create wherever you are
- Optionally embedded 4G/LTE, WLAN and NFC for seamless connections, dual camera support and integrated microphone for easy collaboration

Components

Base unit	STYLISTIC Q555	
Operating systems		
Operating system	Windows 8.1 Pro 64-bit Windows 8.1 Pro 64-bit	
Operating system compatible	Windows 8.1 Pro 64-bit Windows 8.1 Pro 64-bit	
Processor	Intel® Atom™ processor Z3795 ()	
Hard disk drives (internal)	SSD eMMC, 128 GB	
	SSD eMMC, 64 GB	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Up to 20 GB of HDD space is reserved for system recovery Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	
	NO NFC	
	NFC	
	LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	
Display	25.7 cm (10.1-inch),LED backlight,(WUXGA),Glare with dual digitizer,compound,1,920 x 1,200 pixel,800:1,400 cd/m²	
	25.7 cm (10.1-inch),LED backlight,(WUXGA),Anti-glare dual digitizer,compound,1,920 x 1,200 pixel,800:1,400 cd/m²	
Multimedia		
Camera	Front camera HD (2.0 megapixel), rear camera 8.0 megapixel with autofocus and light	Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light

Base unit

Base unit	STYLISTIC Q555
General system information	
Processor	Intel® BayTrail-T™ SoC, Quad Core Intel® Atom™ Processor Z3795 (2.4 GHz, 2 MB)
Chipset	Intel® BayTrail-T™ SoC
Supported capacity RAM	4 GB
Memory slots	LPDDR3-1067 (1066MHz)
Memory notes	Disclaimer: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4 GB RAM
LAN notes	GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.
Integrated WLAN	WLAN 802.11 a/b/g/n MITSUMI DWM-W095A
BIOS features	BIOS Flash EPROM Unified Extensible Firmware Interface (UEFI)
Audio codec	Realtek ALC5642
Audio features	2x internal microphones, 2x built-in speakers (stereo)
Display	25.7 cm (10.1-inch),IPS dual digitizer,(WUXGA),Anti-Glare or Glare options,1,920 x 1,200 pixel,800:1,400 cd/m²

Display notes	Toughened glass, anti fingerprint surface, 256 grey shade. ISO 9241-307 Pixel class II Viewing angle: Left/Right 89°, Top 89°, Bottom 89°, 25ms response time. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Compass Gyroscope Ambient Light Sensor Proximity
Aspect ratio	16:10
Brightness - typical	400 cd/m²
Contrast - typical	800:1
Digitizer / Touch Technology	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°

Graphics

Base unit	STYLISTIC Q555
TFT resolution (HDMI)	up to 1,080p (1,920 x 1,080 pixel) via cradle or optional cable accessory
Max. resolution external display	up to 1,080p (1,920 x 1,080 pixel) via cradle or optional cable accessory
Max. resolution display port	up to 1,080p (1,920 x 1,080 pixel)
Graphics features	Dual Display support (1x external, 1x internal) DirectX® 11 support Open GL® 3.2

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2 (digital)
USB 2.0 total	1
USB 3.0 total	1
VGA	1 (via optional cradle or optional adapter cable accessory)
micro HDMI	1
Ethernet (RJ-45)	1 (via optional cradle or optional adapter cable accessory)
Memory card slots	1 MicroSD (SD up to 2GB / SDHC up to 32GB / SDXC up to 64GB)
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)
Interface Module notes	LAN, HDMI, DisplayPort and VGA available via conversion cable.

Cradle (Charging or Functional)

DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 2.0 total	3 (if used with STYLISTIC Q555)
USB 3.0 total	3 (if used with STYLISTIC Q736/Q616/Q775/Q665)
DisplayPort	1
VGA	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.

Wireless technologies

Antennas	2x dual band WLAN/BT, 2x UMTS, 1x GPS for dedicated module, 1x NFC for dedicated module
Bluetooth	Bluetooth 4.0 LE
Integrated WLAN	WLAN 802.11 a/b/g/n MITSUMI DWM-W095A
WLAN notes	Import and usage according to country-specific regulations.

Wireless technologies	
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
NFC	optional
GPS	Embedded in 3G/4G module if configured with WWAN. WLAN only configuartions have an option for a dedicated Mitsumi SPG-SF101(BCM4752) module.
Power supply	
AC adapter	12V / 36W (3A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium Polymer battery 3-cell, 38 Wh, 9900 mAh
Runtime 1st battery	Up to 10h
Battery charging time	Around 3.8h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	265.5 x 188.8 x 10.2 10.42 x 7.43 x 0.40 inch
Weight	From 655 g
Weight (lbs)	1.46 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Compliance	
Product	STYLISTIC Q555
Germany	GS (only for premium anti-glare touchscreen display)
Europe	CE! EN 60950
Global	IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Microsoft® Office McAfee Internet Security and Antivirus Software (60 days trial version) Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Intel® SBA (manageability suite for local administration) Fujitsu LIFEBOOK Application Panel Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)
Additional software (optional)	Connection manager (optional with 4G/LTE or 3G/UMTS) Drivers & Utilities DVD (DUDVD) Recovery DVD

Manageability	
Manageability technology	DeskUpdate Driver management Wake up from S5 (off mode) Intel® Standard Manageability PXE boot supported (x64 EFI only) PXE 2.0 Boot code
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Manageability link	http://www.fujitsu.com/fts/manageability

Security	
System and BIOS Security	Absolute Persistence® technology capable BIOS Trusted platform module (TPM 1.2)
User Security	BIOS security Embedded fingerprint sensor (supported only by Windows 8 integrated functionality) User and supervisor BIOS password

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Collect & Return Service / Bring-in Service (depending on country)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	htttp://ts.fujitsu.com/Supportservice

Recommended Accessories

Cradle STYLISTIC Q Series		Boosted efficiency, desktop experience, flexibility, expandability - these are only some of the benefits of the cradle for the STYLISTIC Q Series	Order Code: S26391-F1467-L100
Car/Truck Power Adapter 90		People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available. NEW: The Car/Truck Power Adapter 90 now charges 19V and 12V devices.	Order Code: S26391-F2613-L610

Shoulder Strap STYLISTIC Q Series		The FUJITSU Shoulder Strap is the perfect addition to your STYLISTIC Q Series SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC for illustration only.)	Order Code: S26391-F1193-L13
			Order Code: S26391-F1193-L30
TPU Cover STYLISTIC Q555		The Protective TPU Cover is designed to help prevent damage to your STYLISTIC Q555 Tablet PC. Openings on the cover allow access to all of the ports and buttons on the slate as well as the possibility of attaching optional shoulder and hand straps. This gives you a firm grip whilst standing and operating your Tablet PC.	Order Code: S26391-F1193-L31
VESA Mount Plate STYLISTIC Q Series		The VESA Mounting Plate for the STYLISTIC Q Series is used to easily and securely attach the rear of the STYLISTIC Q Series to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q Series using the four threaded inserts on the rear of the system. (Works exclusively with SmartCard Shells of STYLISTIC Q Series. Picture shows different STYLISTIC model and plate color for illustration only.)	Order Code: S26391-F1419-L900
Hand Strap STYLISTIC Q Series		The FUJITSU Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand. (Picture shows a different STYLISTIC model for illustration only.)	Order Code: S26391-F1419-L930
micro HDMI to VGA Conversion Cable		The FUJITSU micro HDMI to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)	Order Code: S26391-F1418-L810
LAN Conversion Cable (USB to LAN) for STYLISTIC Q		The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F1418-L840
Bluetooth Mouse BT3		Enjoy freedom of movement with the highly portable Bluetooth® Mouse BT3. The ergonomically designed device includes a highly sensitive IR sensor with a resolution of 1,000 dpi for comfortable and more precise cursor control on nearly any surface. Scroll horizontally or vertically with the 4-way tilt scroll wheel and take it wherever you go.	Order Code: S26381-K445-L100

Mobile Bluetooth Communication Speaker		The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.	Order Code: S26391-F7128-L700
Slim Keyboard STYLISTIC Q555		The Slice Keyboard for your STYLISTIC Q555 allows fast content creation while on the go and additionally protects against scratches. It also folds to position your tablet at various comfortable angles for efficient working no matter where your job takes you.	S26391-F1288-L2** (**country specific version)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q555, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products
www.fujitsu.com/global/products/computing/

Software
www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet STYLISTIC Q555, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.
Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
© 2016 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT
Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2016-03-31 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
© 2016 Fujitsu Technology Solutions GmbH