

LogiLink®

USB-C™ 2-Port Power Adapter, 20 W

1x USB-C™ PD Port & 1x USB-A QC 3.0 Port

Art. No.: **PA0274**



Rapidly charge your two devices with USB-C PD3.0 and USB-A QC 3.0 ports; it is compact and lightweight for easy portability and storage.

PD3.0 Fast Charging

QC3.0 Fast Charging


20W Max. Outputs

Compact Design

Wide compatibility

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Total Output 20 W max. Fast Charging

Convenient Simultaneous Charging

Fast charging of two devices with USB-C PD port and USB-A QC 3.0 port at the same time; delivers up to 20 W for your power hungry devices.

Multiple Protection

Extremely safe and reliable, the power adpater comes with overcurrent, overvoltage, overheating and short circuit protection.





Travel-Ready

Compact size makes it lightweight and easily fits into your laptop bag or backpack. The perfect mobile accessory for traveling.

Universal Compatibility

Suited for a wide variety of USB devices, and equipped with international voltage compatibility.

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0274

4 052792 066463

Made in China

Quickly Charging in a Short Time





Specification:

Input	230 V AC 50/60 Hz 1 A
Output Interface	1x USB-C PD 3.0 female, 1x USB-A QC 3.0 female
Output	USB-C PD 3.0: 5 V/3 A (15 W), 9 V/2,22 A (20 W), 12 V/1,67 A (20 W), max. 20 W USB-A QC 3.0: 5 V/3 A (15 W), 9 V/2 A (18 W), 12 V/1,5 A (18 W) , max. 18 W Max. total output: 20 W
Auto Power Adjustment	Yes
Efficiency	Level VI
Operating Temperature	0–45 °C
Storage Temperature	-20–85 °C
Operating Humidity	10–80% (non-condensing)
Storage Humidity	10–93% (non-condensing)
Dimensions	Ø4,5x6,9 cm
Weight	50 g

Package Content:
» 1x USB-C 2-Port Power Adapter, 20 W
» 1x User Manual

Package Information:
» Packing Dimension: mm
» Packing Weight:kg
» Carton Dimension: mm
» Carton Q'ty: pcs
» Carton Weight: kg



RoHS compliant CE

Proper use of the PD function can only be guaranteed in combination with certified USB cables with E-Mark chipset.

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0274

4 052792 066463

Made in China