integral LED

Product Specification Sheet

CLASSIC GLS BULB E27 500LM 5.2W 5000K NON-DIMM 300 BEAM FROSTED INTEGRAL

ILGLSE27NF064



Introducing attractive frosted full-glass classic lamps that mirror the look of traditional pearl light bulbs. These lamps look practically indistinguishable from the familiar filament bulbs that have been used for decades. A wide beam angle will fill your space with Daylight (5000K) colour temperature light.

Details

Quick Order Code:	335899
Barcode:	5055788232155
Category:	Lamps
Range Name:	Classic
Product Type:	GLS
Market Segment:	Commercial indoor, Residential indoor
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	108
Product Width (mm):	60
Product Weight (g):	42
Material:	Aluminium, Glass
Base Term:	Edison screw
Bulb Base:	E27
Construction:	Glass shell, Filament strip, Aluminium base
Globe Finish:	Frosted
Globe Type:	GLS
Bulb Fixing:	Pendant, Wall, lamp stand, table lamp
Bulb or Luminaire Shape:	Round
Placement / Application:	Indoor, General Lighting

Electrical Data

Power (W):	5.2
Power Consumption (W) :	5.2
Power Factor:	0.5
Wattage equivalent (W):	43


Amperage (mA):	42
Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
True Wattage Eq (W):	41
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	500
Luminous efficacy (lm/W):	96
Correlated Colour Temperature (CCT) (K):	5000
Colour Temperature:	5000K - Daylight
Colour Temperature Name:	Daylight
Beam Angle:	300
Colour Rendering Index (CRI):	80
Compatible Dimmers:	Varilight
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	Surface mounted device (SMD)
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Previous Energy Rating:	A+
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	45



Packaging

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

	62
Package Weight (g):	65
Package Length (mm):	65
Package Width (mm):	120
Package Depth (mm):	1200
Qty per euro pallet:	

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE