MPN: MO-G-SFP-10G-BX10U

# SFP+ 10 Gbps, SMF, 10 km, LC, Compatible with Generic SFP-10G-BX10U

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- **100% Generic Compatible**



## Specifications

| | | |
|---|---|---|
| **Features** | **Brand compatibility** | Universal |
| | **Certification** | MSA |
| | **Compatible products** | Generic SFP-10G-BX10U |
| | **Easy to install** | Yes |
| | **Form factor** | SFP+ |
| | **Plug and Play** | Yes |
| | **RoHS compliance** | Yes |
| **Operational conditions** | **Operating temperature (T-T)** | 0-70 °C |
| | **Storage relative humidity (H-H)** | 10 - 85 % |
| | **Storage temperature (T-T)** | -40 - 85 °C |
| **Packaging data** | **Number of products included** | 1 pc(s) |
| **Performance** | **Cabling technology** | 10GBASE-BX10-U |
| | **Digital Diagnostics Monitoring (DDM)** | Yes |
| | **Duplex system** | Full |
| | **Ethernet interface type** | 10 Gigabit Ethernet |
| | **Fiber optic connector** | SFP+ |
| | **Fiber ports quantity** | 1 |
| | **Interface type** | LC |
| | **Maximum data transfer rate** | 10000 Mbit/s |
| | **Multi-mode fiber (MMF) supported** | No |
| | **Rx wavelength (min)** | 1330 nm |
| | **SFP transceiver standard** | TX |
| | **SFP transceiver type** | Fiber optic |
| | **Single-mode fiber (SMF)** | Yes |

| | | |
|---|---|---|
| **Performance** | **supported** | Yes |
| | **Tx wavelength (min)** | 1270 nm |
| **Vendor information** | **Brand Name** | Lanview |
| | **Warranty** | 5 Year(s) |
| **Weight & dimensions** | **Package type** | White box |

## Other images

