MPN: MO-ENT-10GB-LRM-SFPP

# SFP+ 10 Gbps, MMF, 220 m, LC, DDMI suport, Compatible with Enterarsys 10GB-LRM-SFPP

Micro-Optics products provide seamless connectivity for all your current and future network hardware needs.

- **100% Enterarsys Compatible**



## Specifications

| | | |
|---|---|---|
| **Features** | **Certification** | MSA |
| | **Compatible products** | Enterarsys 10GB-LRM-SFPP |
| | **Easy to install** | Yes |
| | **Plug and Play** | Yes |
| | **RoHS compliance** | Yes |
| **Operational conditions** | **Operating temperature (T-T)** | 0-70 °C |
| | **Storage relative humidity (H-H)** | 10 - 85 % |
| | **Storage temperature (T-T)** | -40 - 85 °C |
| **Packaging data** | **Number of products included** | 1 pc(s) |
| **Performance** | **Cabling technology** | 10GBASE-LRM |
| | **Digital Diagnostics Monitoring (DDM)** | Yes |
| | **Duplex system** | Full |
| | **Ethernet interface type** | 10 Gigabit Ethernet |
| | **Fiber cable diameters supported (core/cladding)** | 9/125, 50/125 µm |
| | **Fiber ethernet cabling technology** | 10GBASE-LRM |
| | **Fiber optic connector** | LC |
| | **Fiber ports quantity** | 1 |
| | **Interface type** | SFP+ |
| | **Maximum data transfer rate** | 10000 Mbit/s |
| | **Maximum transfer distance** | 220 m |
| | **Multi-mode fiber (MMF) supported** | Yes |
| | **SFP transceiver type** | Fiber optic |
| | **Single-mode fiber (SMF)** | No |

| | | |
|---|---|---|
| **Performance** | **supported** | No |
| | **Wavelength** | 1310 nm |
| **Vendor information** | **Brand Name** | Lanview |
| | **Warranty** | 5 Year(s) |
| **Weight & dimensions** | **Package type** | White Box |

## Other images

