PHILIPS

hue

Signe gradient pendant

Hue White and Colour Ambiance

- White and colour gradients
- Wall-washing and direct light
- Ultra-slim, black aluminium
- App and voice control



8721103149527



Easy smart lighting

Premium architectural design and smart illumination come together with the Signe gradient pendant. It's an elegant design statement made to integrate seamlessly into your home's architecture with quiet sophistication. Suspend its minimalist, ultra-slim profile horizontally from the ceiling and rotate it to direct light towards architectural features. The effect is a light that appears to float, creating a beautifully understated feature for the kitchen, home office or living space. Advanced gradient technology gently washes walls with gradients of light to bring warmth and depth to the space. Effortlessly transition between warm white tones for a relaxing ambience, functional cool white direct light for tasks and gradients of gentle decorative colour to set the mood. The Signe gradient pendant is crafted with precision-engineered black aluminium, creating a refined, curated look. The award-winning Hue app gives you smart control, automations and personalised scenes tailored to the way you live.

Issue date: 2026-10-28 Version: 0.124

Specifications

General
- Cable colour: Black

Bulb characteristics
- Dimmable: Yes

Design and finishing
- Colour: Black
- Material: Aluminium

Durability
- Number of switch cycles: 50,000
- Ambient temperature range: +5 to +35 °C
- Nominal lifetime: 25,000

Extra feature/accessory incl.
- Adjustable height: During installation
- Batteries included: No
- Choose your colour: Yes
- LED integrated: Yes
- Plug type: No plug

Light characteristics
- Beam angle: 360
- Colour rendering index (CRI): 90
- Colour temperature: 1000-20000 K
- Warm-up time to 60% light: Instant full light
- Luminous efficacy (rated) (nom.): 114

Miscellaneous
- Especially designed for: Living Room, Home Office, Study
- Style: Modern

Power consumption
- Standby power consumption: 0.1
- Power: 25
- Energy consumption kWh/1,000 hours: 25

Product dimensions and weight
- Cable length: 2,500
- Overall height: 1,302 mm

Service
- Warranty: 2 year(s)

Technical specifications
- Diameter: 22 mm
- Bulb technology: Not applicable
- Light colour: Gradient coloured and white light (RGBICW)
- Mains power: 220–240 V
- Wattage bulb included: n/a
- IP code: IP20
- Class of protection: Class II and III – Combine DI and SELV
- Light source replaceable: No
- Number of light sources: 1
- Radio frequency sensing: MotionAwareTM
- Zigbee repeater functionality: Yes
- Mounting options: Ceiling

The bulb
- Form factor: Linear
- Lumen output: 2850 lm @ 6500K
- Software upgradable: Yes

The switch
- Wall plate depth: 227.5 mm
- Wall plate height: 47 mm
- Wall plate width: 122.5 mm

What's supported
- Compatible with Effects feature: Yes
- Philips Hue App: Android 8.0 and above, iOS 17 or later
- WiFi: Works without Wi-Fi
- Defined support period: Minimum 60 months from date of purchase from an authorised reseller
- Max. number of accessories: 12 (with Hue Bridge)
- Compatible operating systems: iOS, Android
- Communication protocol: Bluetooth, Zigbee
- Compatibility with third-party systems: Alexa, Google Home, Apple HomeKit, IFTTT, Klikaanklikuit, Matter, Samsung SmartThings, Sonos
- Matter functionality: Via Hue Bridge or third-party hubs (thread border routers)

Box specifications



Packaging dimensions and weight

- EAN/UPC - product: 8721103149527
- Net weight: 1.33 kg
- Gross weight: 2.46 kg
- Height: 138 mm
- Length: 1,412 mm
- Width: 177 mm

© 2026 Signify Holding. All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.