

In-Ear Headphones

- 8.6-mm drivers/semi-closed back
- In-ear

SHE9100RD/00

Enjoy high-performance precision sound

with solid metal housing

The Philips SHE9100 headphones boast premium drivers and precision-crafted metal housing for detailed yet pure sound. Oval sound tubes and a choice of 3 ear tips ensure comfort and fit.

Benefits

Enjoy quality sound

- Sturdy aluminium housing prevents vibration for sound clarity
- Fine-tuned neodymium drivers for high-frequency clarity

Ultimate wearing comfort

- Curved housing and oval sound tubes for ergonomic comfort
- Silicone caps in choice of three sizes for customised fit

Always ready to go

- Anti-tangle slider keeps your cables together neatly
- Durable Flexi-grip for strong headphone-to-cable connection

PHILIPS

Features

Aluminium housing



The headphone's housing is crafted from sturdy aluminium, which prevents vibration for the purest sound performance. In addition, it protects the earphones from the wear and tear of everyday use.

Anti-tangle slider



The smart anti-tangle slider helps you easily keep the two earpiece cables neatly together, simply by gliding it up. No more hassles with tangles or knots!

Durable Flexi-grip connection

This soft yet durable and flexible connector between the earphone and cable helps protect against potential damage from repeated bending.

Finely tuned neodymium driver



Neodymium is the ideal material for producing a strong magnetic field for greater sensitivity in a voice coil, better bass response and higher overall sound quality. It features re-engineered 8.6-mm neodymium drivers that are responsive to high frequencies and ensure pure sound clarity.

Oval sound tubes

Your in-ear headphones are precisely designed to fit any ear. Their ergonomic oval sound tube and curved architecture ensure an optimised, secure and comfortable fit – always.

Silicone caps in three sizes



Your in-ear headphones come with a choice of 3 ear caps – from small to large – so you can select the perfect fit for your ears.

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Sound

Acoustic system	Semi-closed
Diaphragm	Mylar dome
Frequency response	7 - 25,000 Hz
Impedance	16 Ohm
Magnet type	Neodymium
Type	Dynamic
Voice coil	Copper
Sensitivity	108 dB
Speaker diameter	8.6 mm
Maximum power input	30 mW

Design

Colour	Red

Connectivity

Connector	3.5 mm stereo
Type of cable	OFC
Cable Connection	two-parallel, symmetric
Cable length	1.2 m
Finishing of connector	Gold-plated

Product dimensions

Depth	3 cm
Height	8 cm
Weight	0.0125 kg
Width	3 cm

Packaging dimensions

Height	17.50 cm
Width	9.50 cm
Depth	3.50 cm
Net weight	0.01 kg
Gross weight	0.05 kg
EAN	06925970700733
Number of products included	1
Country of origin	CN
Harmonised Systems Code	851830

Inner Carton

Number of consumer packages	3
Length	18.00 cm
Width	11.50 cm
Height	10.50 cm
Gross weight	0.20 kg
GTIN/EAN	26925970700737

Outer Carton

Length	38.00 cm
Width	24.80 cm
Height	24.80 cm
Gross weight	1.97 kg
EAN	16925970700730
Number of consumer packages	24

Loading Unit

Number of consumer packages	864
Length	114.00 cm
Width	76.00 cm
Height	96.00 cm
Gross weight	68.40 kg
Net weight	10.37 kg
GTIN/EAN	66925970700735
Type	8845
Number of CTIs per stack layer	216
Number of stack layers per unit	4
Number of outer cartons per layer	9

data subject to change
2017, July 29

Version: 1.1.7
EAN: 06925970700733

© 2017 Koninklijke Philips N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com