Best Connectivity

LogiLink®
www.LogiLink.de



Art No. WC0045

Dome HD IP Camera with Night Vision, IP66

The integrated 720P wireless Indoor/outdoor IP Camera with 1Megapixel solution, combining high quality digital video camera with network connectivity, and a powerful web server to bring clear images to your desktop from anywhere on your local network or over the Internet.
With IP66 water-resistance, allowing you to monitor home or office through rough weather conditions.


Feature:

- Ideal for both indoor and outdoor surveillance
- High-sensitivity 1/4" CMOS sensor with 1Megapixel
- 24 IR LEDs illumination for night vision up to 30m
- IP66 waterproof casing against water-blasting and dustproof
- Multiple H.264, and Motion JPEG video streams
- 30 fps at 1280 x 720
- Multi-level users management and passwords definition
- Supports image snapshot
- Giving alarm of motion detection via email or APP
- Supports Dynamic IP (DDNS) and UPNP LAN and Internet (ADSL, Cable Modem)
- Compliant with ONVIF 2.0 standards
- Free APP for both Android devices and iPhone; free software available for Windows/Mac OS

Easy installation in 60s



Realtime viewing on PC/Mac:



Free APP Its Mycam available to download:

For iOS

For Android

PC/Mac

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

RoHS compliant

WC0045
4 052792 033366
Made in China

Best Connectivity

LogiLink®
www.LogiLink.de



Art No. WC0045

Dome HD IP Camera with Night Vision, IP66

Specification:

Image Sensor	
Image Sensor	1/4" Color CMOS Sensor
Display Resolution	1280 x 720 Pixels (1Megapixel)
Lens	F2,0 f:3,6mm IR Lens
Minimum Illumination	0,5Lux
Viewing Angle	60 Degree
Infrared Light	24 IR LEDs 850nm
IR-CUT	With IR-CUT filter
Video	
Image Compression	H.264 and Motion JPEG
Image Frame Rate	30fps (VGA) 30fps (QVGA)
Resolution	1280 x 720 (VGA) 640 x 480 (VGA) 320 x 240 (QVGA)
Flip Mirror Images	Vertical / Horizontal
Light Frequency	50Hz, 60Hz, Outdoor
Video Parameters	Brightness, Saturation, Contrast, Hue
Communication	
Ethernet Interface	Build in 10/100Mbps, Auto MDI/MDIX, RJ-45
Supported Protocol	TCP/IP, HTTP, DNS, DHCP, PPPoE, SMTP, FTP, SSL, TFTP, NTP,, ARP/RARP NFS RTSP, RTP, RTCP
Compress Rate Level	128Kbps~4Mbps
General	
Water Resistant	IP66
Product Dimension	110 x 110 x 80mm
Product Weight	330g
Cable Length	800mm
Network Cable Length	1500mm
Power Adapter Length	1450mm
Power Supply	DC 5V/2A
Power Consumption	7 Watts (Max.)

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

RoHS compliant CE

WC0045
4 052792 033366
Made in China

Best Connectivity

LogiLink®
www.LogiLink.de



Art No. WC0045


Dome HD IP Camera with Night Vision, IP66

Specification: (continue)

Operate Temperature	0°C ~ 55°C (32°F ~ 131°F)
Operating Humidity	20% ~ 85% non-condensing
Storage Temperature	-10°C ~ 60°C (14°F ~ 140°F)
Storage Humidity	0% ~ 90% non-condensing
PC System Requirements	
CPU	2.0GHz or above (suggested 3.0GHz)
Memory Size	256MB or above (suggested 1.0GHz)
Display Card	64M or above
Supported OS	Microsoft Windows 2000/XP/Vista/7/8/10 and Mac OS X
Browser	IE6.0/7.0/8.0/Firefox/Safari/Google Chrome or other standard browsers

Package Content:

- 1 x IP Camera
- 1 x Power Adapter
- 1 x Network Cable
- 1 x Screws Package
- 1 x User Manual



Monitor home or office through PC or smart device

Packaging Information:

- Packing Dimension: 180 x 125 x 116mm
- Packing Weight: kg
- Carton Dimension: 270 x 600 x 200mm
- Carton Q'ty: 10pcs
- Carton Weight: kg

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

RoHS compliant

WC0045
4 052792 033366
Made in China