LED Candle E14 3.1W-25W ND 2700K 250lm Clear



- E14 Socket
- 220-240V
- 20,000 hours Lifetime
- 88% Energy Saving
- Luminous Flux: 250 lm
- Equivalent to 25W incandescent bulb





Product Number	52636
General Data	
Lamp Socket	E14
Design	Candle
Electric Data	
Wattage (W)	3.1
Wattage Equivalent (W)	25
Voltage (V)	220-240
Dimmable	no
Power Factor	0.4
Operating Frequency (Hz)	50/60
Geometric Data	
Length (mm)	102
Diameter (mm)	35
Weight (g)	31
Photometric Data	
Luminous Flux (lm)	250
CRI	80
CCT (K)	2700
Luminous Intensity (cd)	36
Beam Angle (º)	260
Luminous Efficacy (lm/W)	81
Lifetime (hrs)	20,000
Switching Cycle	100,000
Operating Temperature	-20°C to 40°C

14/07/2017

Lifestyle image



Photometric Diagrams



A Group Company of MITSUBISHI CHEMICAL

Verbatim™

Photometric Diagrams



Energy Rating



Technical Packaging Details

Barcode
023942526360

EAN 128
(02)00023942526360(37)04(91)14

EAN 14
50023942526365

Pack Dimensions(HxWxL)
178 x 49 x 118 (mm)

Pack Weight
57 (g)

MOQ
4

Carton Dimensions (HxWxL)
195 x 104 x 253 (mm)

Cartons/Pallet
120

Layers/Pallet
4

Units/Pallet
480

14/07/2017