

(https://es.msi.com/product/motherboard/H110-PC-MATE/Gallery)

H110 PC MATE

BÁSICAS DETALLADAS

CPU

• Supports 6th Gen Intel® Core™ i3/i5/i7 processors, and Intel® Pentium® and Celeron® processors for Socket LGA1151

Chipset

• Intel® H110 Chipset

Main Memory

• 2x DDR4 memory slots, support up to 32GB
- Supports DDR4 2133 MHz
• Dual channel memory architecture
• Supports ECC, un-buffered memory
- ECC UDIMM memory (non-ECC mode)
• Supports Intel® Extreme Memory Profile (XMP)
* Please refer to Compatibility reports for more information of compatible memory.
* DDR4 2133 MHz and higher memory modules will only run at maximum of DDR4 2133 MHz on XMP mode due to Intel® chipset limitation.

Slots

• 1 x PCIe 3.0 x16 slot (supports X16 mode)
• 1 x PCIe 2.0 x16 slot (supports X4 mode)
• 2 x PCIe 2.0 x1 slots
• 3 x PCI slots

Onboard Graphics

• 1 x HDMI™ port, supports a maximum resolution of 4096x2160@24Hz, 2560x1600@60Hz
• 1 x DVI-D port, support a maximum resolution of 1920x1200@60Hz
• 1 x VGA port, supports a maximum resolution of 2048x1536@50Hz, 2048x1280@60Hz, 1920x1200@60Hz

---

Multi-GPU

• Supports 2-Way AMD® CrossFire™ Technology

On-Board SATA

• Intel® H110 Chipset
• 4 x SATA 6Gb/s ports

USB

• ***Intel® H110 Chipset***
- 4 x USB 3.1 Gen1 (SuperSpeed USB) ports (2 ports on the back panel, 2 ports available through the internal USB connector)
- 6 x USB 2.0 (High-speed USB) ports (4 ports on the back panel, 2 ports available through the internal USB connectors)

Audio

- Realtek® ALC887 Codec
- 7.1-Channel High Definition Audio

LAN

- 1 x Realtek RTL8111H Gigabit LAN controller

Back Panel I/O Ports

- 1 x PS/2 keyboard port
- 1 x PS/2 mouse port
- 1 x HDMI™ port
- 1 x DVI-D port
- 1 x VGA port
- 2 x USB 3.1 Gen1 ports
- 4 x USB 2.0 ports
- 1 x LAN (RJ45) port
- 3 x audio jacks

Internal I/O Connectors

- 1 x 24-pin ATX main power connector
- 1 x 8-pin ATX 12V power connector
- 4 x SATA 6Gb/s connectors
- 1 x USB 2.0 connector (supports additional 2 USB 2.0 ports)
- 1 x USB 3.1 Gen1 connector (supports additional 2 USB 3.1 Gen1 ports)
- 2 x 4-pin CPU fan connectors
- 3 x 4-pin system fan connectors
- 1 x Clear CMOS jumper
- 1 x Front panel audio connector
- 2 x Front panel connectors
- 1 x TPM module connector
- 1 x Chassis Intrusion connector
- 1 x Serial port connector
- 1 x Parallel port connector

Dimension

- 12 in. x 8.7 in. (30.5 cm x 22.0 cm) ATX Form Factor

Mounting

- 6 mounting holes

1. The specifications may differ from areas and we keep the right to change without notice. Please check the specific Specification with your local dealers.
2. The color of the product might be affected by photography and the monitor's setting, which might be different from the real product.

COMUNIDAD

Social Media (https://www.msi.com/page/social-media)
Reward (https://register.msi.com/reward)
Foro MSI (https://forum-es.msi.com/)
Gaming Teams (https://www.msi.com/page/Gaming-Team)
Videos (https://es.msi.com/video)
Blogs (https://es.msi.com/Blogs)

SOPORTE TÉCNICO

Soporte (https://es.msi.com/support#support_download)
Register Center (https://register.msi.com/)
Atención al cliente online (https://register.msi.com/)
Servicios técnicos en otros países (https://es.msi.com/support/notebook/service-location)
Garantía (https://es.msi.com/page/warranty)

NOTICIAS

Notas de Prensa (https://es.msi.com/news)
Premios (https://es.msi.com/awards/1/1)
RSS (https://es.msi.com/rss)

MEDIA

Catálogo (https://www.msi.com/page/brochure)
Fondos de Pantalla (https://www.msi.com/page/wallpaper)
MSI Apps (https://www.msi.com/page/msi-apps)

SOBRE MSI