ThinkCentre M910 Tower Platform Specifications

Processor

Intel® Celeron®, Intel Pentium®, or 6/7th Generation Intel Core™ i3 / i5 / i7 Processor

Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics
Core i5-6500	4 / 4	3.2G / 3.6G	6 MB	DDR4-2133	HD 530
Core i7-6700	4 / 8	3.4G / 4.0G	8 MB	DDR4-2133	HD 530
Core i5-7400	4 / 4	3.0G / 3.5G	6 MB	DDR4-2400	HD 630
Core i5-7500	4 / 4	3.4G / 3.8G	6 MB	DDR4-2400	HD 630
Core i5-7600	4 / 4	3.5G / 4.1G	6 MB	DDR4-2400	HD 630
Core i7-7700	4 / 8	3.6G / 4.2G	8 MB	DDR4-2400	HD 630

Memory

64GB max, UDIMM, DDR4-2400*, four 288-pin DIMM sockets, non-ECC, dual-channel capable
* System automatically clocks down for the processors with lower memory controller

Storage

Some: Hard Drive / SATA 6.0Gb/s, 2.5" or 3.5", 5400 rpm or 7200 rpm
Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5"
Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s
Some: Intel Optane™ Memory Ready (models with 7th gen Core processor), M.2
Some: Front accessible and removable HDD, 3.5", lockable via physical key

Optical

Some: DVD-ROM, SATA 1.5Gb/s, 5.25" or slim (9.0mm)
Some: DVD Burner (DVD±RW), SATA 1.5Gb/s, 5.25" or slim (9.0mm)

Onboard SATA

Four onboard SATA 6.0Gb/s connectors, RAID 0/1 support (RAID preset only available via special bid model)

Media reader

Optional 7-in-1 media reader

Graphics

Intel HD Graphics 510/530/610/630 in processor, uses main memory, DirectX® 12, one VGA, two DisplayPort™, supports 3 independent displays, works along with discrete graphics to support more displays;
Max resolution: 4096x2304 (DP)@60Hz; 2048x1536 (VGA)@50Hz
Some: **NVIDIA Geforce® GT 730**, DirectX 12, 2GB, PCIe 2.0 x8 adapter, two DisplayPort, 35 watts;
Max resolution: 3840x2160 (DisplayPort)@60Hz;
Some: **AMD Radeon™ R7 350**, DirectX 11, 2GB, PCIe 3.0 x8 adapter, one VGA, one HDMI, 75 watts, occupies two slots;
Max resolution: 4096x2160 (HDMI)@24Hz; 2048x1536 (VGA)@85Hz
Some: **NVIDIA Geforce GTX™ 1080**, DirectX 12, 8GB, PCIe 3.0 x16 adapter, one DVI-D, one HDMI, three DisplayPort, 180 watts, occupies two slots;
Max resolution: 2560x1600 (DVI-D)@60Hz; 4096x2160 (HDMI)@60Hz 7680x4320 (with Single DP)@60Hz

Monitor Cable

Optional DP to VGA, DP to DVI-D (single link), DP to dual DP, or DP to HDMI 1.4

Chipset

Intel Q270 Chipset

Front ports

Four USB 3.1 Gen1, optional two USB 3.1 Type-C Gen 2 (only available via special bid), microphone (3.5mm), headphone (3.5mm)

Rear ports

Four USB 3.1 Gen1, optional two USB 2.0, serial (9-pin), optional 2nd serial (9-pin), optional parallel (25-pin), ethernet (RJ-45), one VGA, two DisplayPort, optional two PS/2 ports (keyboard/mouse);
additional VGA, DisplayPort, DVI-D, or HDMI on optional graphics on some models

Rear audio ports

Line-in (3.5mm), line-out (3.5mm), microphone-in (3.5mm)

IEEE 1394

None

Audio support

High Definition (HD) Audio, Realtek ALC662 / optional internal speaker (1.5 watt)

WLAN[13]

Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA9377A (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA6174A (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 2x2
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.1 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.1 combo adapter, 2x2
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.1 combo adapter, Intel vPro technology support, 2x2

Bluetooth™

Some: Bluetooth 4.1 wireless, integrated in Wi-Fi + BT combo adapter

Ethernet

Gigabit ethernet, Intel Ethernet Connection I219-LM(Jacksonville), Wake on LAN®

Modem

None

Manageability

Intel Active Management Technology 11.0 (Intel AMT 11.0);
Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)

Security chip

TPM (Trusted Platform Module) 2.0, TCG Certified
* Downgrade to TPM1.2 for the models with Win10 DG Win7 32 OS

Security features

- Security slot (in rear for optional Kensington® MicroSaver® cable)
- Padlock loop
- Smart USB protection, allows keyboard/mouse only, blocks all storage devices
- Optional cable lock to physically lock both keyboard and mouse
- Power-on password
- Administrator password
- Hard disk password
- Boot sequence control
- Boot without keyboard and mouse
- Individual USB port disablement
- Optional chassis intrusion switch

Keyboard

Some: Lenovo Calliope Keyboard (USB connector), black
Some: Lenovo Traditional Keyboard (USB connector), black
Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black

Mouse

Some: Lenovo Calliope Mouse (USB connector), black
Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black

Mechanical

- Tower (18L), black color, metal case
- *(WxDxH)* 6.5" X 12.65" X 16.15"; 165mm X 321.35mm X 410.25mm
- Approx. 15.45 lb (7 kg), weight may vary by configuration
- Toolless cover, disk, optical, graphic card removal
- Optional carry handle, dust filter

Bay 1: Slim external ODD bay
Bay 2: 5.25", 1.6" high, external, ODD or optional front access HDD
Bay 3: 3.5", 1" high, internal, HDD/SSD
Bay 4: 3.5", 1" high, internal, HDD/SSD (optional bay, bay comes with disk)
Bay 5: 2.5", internal, HDD/SSD (optional bay)
Slot 1: half-length, full-height, PCIe 3.0 x16*
Slot 2: half-length, full-height, PCIe 3.0 x1*
Slot 3: half-length, full-height, PCIe 3.0 x16 (x4 signal)*
Slot 4: no slot, only bracket for optional port extension*
M.2 card slots: Two (one for WLAN, one for SSD/Optane)
* Optional front USB3.1 Type-C x2 module occupies PCIe x16 (x4 signal) slot, optional rear 2x USB2.0 / parallel occupies one expansion slot

Power supply

Some: 180 watts, autosensing, 85% PSU
Some: 250 watts, autosensing, 85% PSU
Some: 400 watts, autosensing, 92% PSU (only available via special bid)

Limited warranty[3]

Some: **1-year** or **3-year**, **depot service** / service upgrades available
Some: **1-year** or **3-year**, **limited onsite service** / service upgrades available

Preload

Preloaded operating system

Some: Windows® 7 Professional 32/64 preinstalled through downgrade rights in Windows 10 Pro 64-bit (not available with 7th Gen Intel processor)
Some: Windows 10 Pro 64-bit
Some: Windows 10 Home 64-bit

Preloaded applications (only some listed)

- Microsoft Office preloaded; purchase a product key to activate
- Cyberlink PowerDVD Create (DVD±RW)
- Intel Unite (vPro models only)

- Only for Window 10
- Lenovo Companion
- Lenovo ID
- Cyberlink PowerDVD (DVD, DVD±RW)

- Only for Window 7
- Lenovo Solution Center
- Lenovo ThinkVantage Tools
- Create Recovery Media
- Adobe® Reader®

Environment

ENERGY STAR® 6.1, EPEAT™ Gold rating (North America), ErP Lot 3, GREENGUARD®, RoHS-compliant, TUV low noise verified (on some models)

Accessories

For compatible accessories, please go to **http://www.lenovoquickpick.com**

See footnotes for more detailed information

© Lenovo

Model	10MM003C++
Product	ThinkCentre M910t Tower
Region	EMEA
Machine Type	10MM
TopSeller	TopSeller
Processor	Core i7-7700 (4C, 3.6 / 4.2GHz, 8MB)
vPro	vPro
Graphics	Integrated Intel HD Graphics 630
Monitor Cable	None
Memory	16GBx1
Storage	512GB SSD M.2 PCIe NVMe
Optical	DVD±RW
Optional 2nd 2.5" Bay	Optional 2.5" Bay
Media Reader	7-in-1
WLAN + Bluetooth	Intel 8265 ac, 2x2, vPro + BT4.1
Optional Front Ports	None
Optional Rear Ports	Parallel
Chassis Intrusion Switch	Chassis Intrusion Switch
Cable Lock	None
Front Access HDD	None
Speaker	1.5Wx1
Dust Filter	None
Keyboard / Mouse	USB / USB
Carry Handle	Carry Handle
Power Supply	250W 85%
Operating System	Windows 10 Pro 64
Warranty	3-year, Onsite
Global	No
Ann Date (mm/yy)	04/17




Lenovo








Lenovo