Verbatim PAR16 GU10

- 91% energy saving
- Dimmable with good dimmer compatibilty
- Elegant looking with diamond cut optics
- Long life time 25,000 hours



Order Code	52335
General Data	
Type	PAR16
Base	GU10
Geometric Data	
Length (mm)	56
Diameter (mm)	50
Weight (g)	53
Electric Data	
Wattage (W)	6.0
Wattage Equivalent (W)	64
Voltage (V)	220-240
Power Factor	>0.7
Operating Frequency (Hz)	50-60
Current (mA)	38
Dimmable	yes
Photometric Data	
Luminous Flux (lm)	470
Luminous Flux 90° Cone (lm)	450
CRI	≥ 80
CCT (K)	4000
Luminous Intensity (cd)	1170
Luminous Efficacy (lm/W)	78
Beam Angle (°)	35
Lifespan	
Lifetime (hrs)	25,000
Switching Cycle	100,000
Energy Efficiency	
Energy Efficiency Class	A+
kWh/1000h	6

Created in March 2016

www.verbatim.com

Verbatim PAR16 GU10



Order Code	52335
Product Description	LED GU10 6.0W-64W D 4000K 35D 450LM W

Technical Packaging Details

Barcode	023942523352
Outer EAN 14	50023942523357
Inner EAN 128	(02)00023942523352(37)10(91)814
Pack Dimensions (HxWxL)	67mm x 51mm x 51mm
Pack Weight (g)	70
Carton Qty (Shipping Unit)	10
Layers/Pallet	13
Units/Pallet	2210

Verbatim PAR16 GU10

Photometric Diagram 52335





Verbatim Ltd is a subsidiary of MITSUBISHI KAGAKU MEDIA