ThinkCentre M910x Tiny 10N0001JUS

Region
US

Machine Type
10N0

TopSeller
TopSeller

Processor
Core i7-7700 (4C, 3.6 / 4.2GHz, 8MB)

vPro
vPro

Graphics
Integrated Intel HD Graphics 630

Monitor Cable
None

Memory
8GBx1

Storage
256GB SSD M.2 PCIe NVMe

External Optical / I/O Box
None

WLAN + Bluetooth
Intel 8265 ac, 2x2, vPro + BT4.1

Optional Rear Ports
3rd DP

Chassis Intrusion Switch
Chassis Intrusion Switch

Kensington Cable Lock
None

Speaker
1Wx1

Adapter Cage
None

Toolless Chassis Screw
None

Dust Filter
None

Keyboard / Mouse
USB / USB

VESA Mount
None

Stand
Floor Stand

Power Supply
135W 88% Adapter

Operating System
Windows 10 Pro 64

Warranty
3-year, Onsite

Global
No

Ann Date (mm/yy)
07/17

Note:
Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries

www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com
Visit psref website for the latest version of Product Specifcations Reference.

© Lenovo, 2018. All rights reserved.



ThinkCentre M910x Tiny Platform Specifications

Product Specifications Reference (PSREF)

Processor

Intel® Celeron®, Intel Pentium®, or 6/7th Generation Intel Core™ i3 / i5 / i7 Processor

Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics
Core i5-6500T	4 / 4	2.5G / 3.1G	6 MB	DDR4-2133	HD 530
Core i7-6700T	4 / 8	2.8G / 3.6G	8 MB	DDR4-2133	HD 530
Core i5-7500T	4 / 4	2.7G / 3.3G	6 MB	DDR4-2400	HD 630
Core i5-7600T	4 / 4	2.8G / 3.7G	6 MB	DDR4-2400	HD 630
Core i7-7700T	4 / 8	2.9G / 3.8G	8 MB	DDR4-2400	HD 630
Core i5-6500	4 / 4	3.2G / 3.6G	6 MB	DDR4-2133	HD 530
Core i7-6700	4 / 8	3.4G / 4.0G	8 MB	DDR4-2133	HD 530
Core i5-7500	4 / 4	3.4G / 3.8G	6 MB	DDR4-2400	HD 630
Core i5-7600	4 / 4	3.5G / 4.1G	6 MB	DDR4-2400	HD 630
Core i7-7700	4 / 8	3.6G / 4.2G	8 MB	DDR4-2400	HD 630

Memory

32GB max, DDR4-2400*, two 260-pin SO-DIMM sockets, non-ECC, dual-channel capable
* System automatically clocks down for the processors with lower memory controller

Storage

Some: Hard Drive* / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm, APS
Some: Solid State Drive (SSD)* / SATA 6.0Gb/s, 2.5"
(* 2.5" HDD/SSD and RX 460 graphics are mutually exclusive)
Some: M.2 SSD (support up to two M.2 SSD) / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s, RAID 0/1 support (RAID preset only available via special bid model)
Some: Intel Optane™ Memory Ready (models with 7th gen Core processor), M.2

Optical

Some: DVD-ROM, slim (9.0mm), via USB external ODD box
Some: DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box

Onboard SATA

One onboard SATA 6.0Gb/s connector

Media reader

None

Graphics

Intel HD Graphics 510/530/610/630 in processor, uses main memory, DirectX® 12, two DisplayPort™, one optional video port (HDMI, VGA, 3rd DP, or USB 3.1 Type-C with DisplayPort Alternate Mode), up to 3 independent displays;
Max resolution: 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1200 (VGA)@60Hz
Some: **AMD Radeon™ RX 460**, DirectX 12, 4GB, PCIe 3.0 x8 adapter (low profile), four mini DisplayPort, 35 watts (TDP), up to 4 independent displays, works along with 2 onboard DisplayPort to support up to 6 independent displays;
Max resolution: 5120x2880 @60Hz (up to 2 mini DisplayPort); 4096x2160 @60Hz (up to 4 mini DisplayPort)

Monitor cable

Optional DP to VGA, DP to DVI-D, DP to dual DP, mini DP to DP, or DP to HDMI 1.4

Chipset

Intel Q270 Chipset

Front ports

Two USB 3.1 Gen1 (one is Always On and fast charge), one microphone (3.5mm), one headphone / microphone combo jack (3.5mm)

Rear ports

Four USB 3.1 Gen1 (optional optical box or I/O box occupies one or two specific USB 3.1 Gen1), ethernet (RJ-45), two DisplayPort, two optional ports (not available for the models with RX 460 graphics): Port 1 for [VGA / 3rd DP / HDMI / serial / USB 3.1 Type-C Gen 1 (with DisplayPort Alternate Mode)]; Port 2 for [serial]

I/O box

Optional external I/O box, extends two USB 2.0, two USB 3.1 Gen1, and one serial on rear, two USB 2.0 on front, via USB cable (occupy 2 specific USB 3.1 G1 of Tiny)

Audio support

High Definition (HD) Audio, Realtek ALC294 / optional internal speaker (1w or 2w)

WLAN[13]

Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA9377A (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA6174A (dual band), Wi-Fi + Bluetooth 4.1 combo adapter, 2x2
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.1 combo adapter, 1x1
Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.1 combo adapter, 2x2

Bluetooth™

Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.1 combo adapter, Intel vPro technology support, 2x2
Some: Bluetooth 4.1 wireless, integrated in Wi-Fi + BT combo adapter

Ethernet

Gigabit ethernet, Intel Ethernet Connection I219-LM(Jacksonville), Wake on LAN®

Modem

None

Manageability

Intel Active Management Technology 11.0 (Intel AMT 11.0);
Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)

Security chip

TPM (Trusted Platform Module) 2.0*, TCG Certified
* Downgrade to TPM1.2 for the models with Win10 DG Win7 32 OS

Security features

- Security slot (in rear for optional Kensington® MicroSaver® cable)
- Smart USB protection, allows keyboard/mouse only, blocks all storage devices
- Power-on password
- Administrator password
- Hard disk password
- Boot sequence control
- Boot without keyboard and mouse
- Individual USB port disablement
- Chassis intrusion switch

Keyboard

Some: Lenovo Calliope Keyboard (USB connector), black
Some: Lenovo Traditional Keyboard (USB connector), black
Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black

Mouse

Some: Lenovo Calliope Mouse (USB connector), black
Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black

Mechanical

Tiny (1L), black color; metal case
- Toolless chanssis open
- Toolless HDD, SSD, memory removal
- Optional toolless chanssis screw
- Optional dust filter

	Dimensions (WxDxH)	Weight (Approx.)
M910 Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config
With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config
With VESA mount & I/O box	7.42" X 7.30" X 2.62" 188.4mm X 185.38mm X 66.6mm	3.66 lb (1.66 kg), vary by config

VESA mount

Optional VESA mount bracket kit, supports VESA 75mm and 100mm

Floor Stand

Optional system floor stand for vertical orientation

Power supply

135 watts AC/DC adapter, autosensing, 88% PSU

Limited warranty[3]

Some: **1-year** or **3-year**, **depot service** / service upgrades available
Some: **1-year** or **3-year**, **limited onsite service** / service upgrades available

Preload

Some: Windows® 7 Professional 32/64 preinstalled through downgrade rights in Windows 10 Pro 64-bit (not available with 7th Gen Intel processor)
Some: Windows 10 Pro 64-bit
Some: Windows 10 Home 64-bit

Preloaded applications (only some listed)
- Microsoft Office preloaded; purchase a product key to activate
- Only for Window 10
- Lenovo Companion
- Intel Unite download link (vPro models only)
- Only for Window 7
- Lenovo Solution Center
- Lenovo ThinkVantage Tools
- Create Recovery Media
- Adobe® Reader®
- Cyberlink PowerDVD Create (DVD±RW)
- Intel Unite (vPro models only)

Environment

ENERGY STAR® 6.1, EPEAT™ Gold rating (North America), ErP Lot 3, GREENGUARD®, RoHS-compliant, TUV low noise verified (on some models)

MIL-SPEC test

MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)

Accessories

For compatible accessories, please go to **http://www.lenovoquickpick.com**

See footnotes for more detailed information

© Lenovo (M910x Tiny-Spec) May 2017

ThinkCentre M910x Tiny











