Candle 5.5W (40W) 2700K 470lm E27 Non-Dimmable Frosted Lamp



This 5.5W retro-fit Integral LED Candle (frosted finish, large screw, white base) delivers a warm light and brightness, similar to a 40W filament bulb. It features high output LEDs and an anti-glare refractor. Ideal for living rooms, dining rooms, bedrooms and hotels, in classic or modern wall or floor/table lamp fittings and chandeliers.

Product Details

Partcode: ILB35E27O6.8N27KBEWA

Check Code: 197116

Range Name: Mensae

Product Type: Candle

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Base Colour: Matt white

Globe Type: Candle

Globe Finish: Frosted

Material: Plastic, Aluminium, Polycarbonate, Nickel plated brass

Construction: Aluminium and Plastic heat-sink, Injection moulded diffuser

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE

Physical Data

Length: 112mm

Width: 38mm

Weight (Unpackaged Single Unit): 73g

Lamp or Luminaire Shape: Oval

Lamp Fixing: Pendant, Chandelier, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 5.5 Watts

Driver included: Yes

Driver IC Manufacturer: Silergy

Electric Current: AC

Ampage: 66.00mA

Frequency Range: 50 Hz

Power Factor: >=0.50

Wattage Equivalent: 40 Watts

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-62560

Light Data

Lumens: 470lm

Lumens per Watt: 85.0lm/W

Beam Angle: 280º

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Surface mounted device (SMD)


Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788210153

Packaged Weight (Unit of 1): 99g

Length (unit of 1): 125mm

Width (unit of 1): 48mm

Depth (unit of 1): 48mm

Outer packaging info available on website

Product data last updated on: Monday, October 2, 2017 - 16:13

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE