Lenovo V110 (15") 80TD004V++

Machine Type
80TD

Region
EMEA

Processor
AMD E2-9010 (2C, 2.0 / 2.2GHz, 1MB)

Graphics
Integrated AMD Radeon R2 Graphics

Memory
4GB Soldered + 4GB DIMM DDR4-2133

Display
15.6" HD (1366x768)

Multi-touch
None

Storage
1TB 5400rpm

Optical
DVD±RW

Ethernet
100/1000M

WLAN + Bluetooth
11ac, 1x1 + BT4.1

Color
Black, Texture

Camera
0.3MP

Microphone
Monaural

Keyboard
Non-backlit

Fingerprint Reader
None

Battery
3-cell (24Wh)

Power Adapter
45W

Operating System
Windows 10 Home 64

Warranty
1-year, Depot

Ann Date (mm/yy)
08/17

Note:
Country Code "US" is for United States, "++" is for EMEA countries (e.g. AD - Saudi, Arabia, AT - Austria, BM - Bulgaria, etc.), "xx" is for EAST countries (e.g. BM - Bulgaria, CX - Hungary, CY - Cyprus, etc.), and "**" is for MEA countries (e.g. AD - Saudi, Arabia, ED - Egypt, EQ - Sweden, etc.). Please be aware that the EMEA/ EAST/MEA models listed above might not be available in all countries

www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com
Visit psref website for the latest version of Product Specifcations Reference.

© Lenovo, 2017. All rights reserved.



Lenovo V110 (15") Platform Specifications

Processor

V110-15ISK: Intel® Celeron® Processor, Intel Pentium® Processor, or 6th Generation Intel Core™ i3 / i5 Processor

Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics
Cel 3855U	2	2	1.6 GHz	-	2MB	DDR4-2133	Intel HD Graphics 510
Pen 4405U		4	2.1 GHz		2MB		
i3-6006U			2.0 GHz		3MB		Intel HD Graphics 520
i3-6100U			2.3 GHz		3MB		
i5-6200U			2.3 GHz	2.8 GHz	3MB		

V110-15IAP: Intel Celeron Processor or Intel Pentium Processor

Processor Number	# of Cores	# of Threads	Base Frequency	Burst Frequency	Cache	Memory Types	Processor Graphics
Cel N3350	2	2	1.1 GHz	2.4 GHz	2MB	DDR3L-1600	Intel HD Graphics 500
Cel N3450	4	4		2.2 GHz			
Pen N4200				2.5 GHz			Intel HD Graphics 505

V110-15IKB: Intel® Celeron® Processor, Intel Pentium® Processor, or 7th Generation Intel Core™ i3 / i5 Processor

Processor Number	# of Cores	# of Threads	Base Frequency	Burst Frequency	Cache	Memory Types	Processor Graphics
Cel 3865U	2	2	1.8 GHz	-	2MB	DDR4-2133	Intel HD Graphics 610
Pen 4415U		4	2.3 GHz				
i3-7100U			2.4 GHz		3MB		Intel HD Graphics 620
i5-7200U			2.5 GHz	3.1 GHz			

V110-15AST: AMD A-Series or E-Series APUs

Processor Number	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics
E2-9010	2	2.0 GHz	2.2 GHz	1MB	DDR4-1866	AMD Radeon™ R2 Graphics
A6-9210		2.4 GHz	2.8 GHz		DDR4-2133	AMD Radeon R4 Graphics
A9-9410		2.9 GHz	3.5 GHz			AMD Radeon R5 Graphics

Graphics

V110-15ISK: Intel HD Graphics 510 or 520 in processor only, or Intel HD Graphics 510 or 520 in processor and AMD Radeon R5 M430 or AMD Radeon 530, 2GB memory;
V110-15IAP: Intel HD Graphics 500 or 505 in processor only;
V110-15IKB: Intel HD Graphics 610 or 620 in processor only, or Intel HD Graphics 610 or 620 in processor and AMD Radeon 530, 2GB memory;
V110-15AST: AMD Radeon R2, R4, or R5 Graphics in processor only, or AMD Radeon R2, R4, or R5 Graphics in processor and AMD Radeon R5 M430, 2GB memory;
supports independent display;

Chipset

Intel or AMD SoC (System on Chip) platform

Memory

V110-15ISK: 16GB max / 2133MHz DDR4, dual-channel capable, 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket
V110-15IAP: 8GB max / 1600MHz DDR3L, dual-channel capable, optional 2GB memory soldered to systemboard, one DDR3L SO-DIMM socket
V110-15IKB: 16GB max / 2400MHz DDR4, dual-channel capable, 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket
V110-15AST: 8GB max / 2133MHz DDR4, dual-channel capable, 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket
* System clocks down for processors with lower memory controller

Display

Some: 15.6" (396mm) HD (1366x768), anti-glare, LED backlight, 220 nits, 16:9 aspect ratio
Some: 15.6" (396mm) FHD (1920x1080), anti-glare, LED backlight, 220 nits, 16:9 aspect ratio

Multi-touch: None

Storage

Some: SSD / SATA 6.0Gb/s, 2.5" wide
Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high
Some: SSHD with 8GB NAND flash memory
SATA controller: Serial ATA, SATA 6.0Gb/s support, integrated in processor
Optical *(optional)*: DVD burner, 9.0mm high, fixed, tray-in

Ethernet

Gigabit Ethernet connection

WLAN

11ac, 1x1, Wi-Fi + Bluetooth combo adapter, M.2 Card

Bluetooth™

Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter

Dimensions

WxDxH: 14.96" x 10.31" x 0.90"; 380mm x 262mm x 22.9mm

Weight

1.9 kg (4.19 lb)

Case color

Black texture

Case material

PC/ABS plastic

Media reader

4-in-1 reader (MMC, SD, SDHC, SDXC)

Ports

One USB 3.1 Gen 1 / USB3.0, one USB 2.0, HDMI, Ethernet (RJ-45)

Camera *(optional)*

0.3MP, fixed focus

Audio support

HD Audio, monaural speaker, 1.5W x 1 / optional monaural digital microphone, combo audio/microphone jack

Keyboard

6-row, multimedia Fn keys, numeric keypad

Touchpad

2-button touchpad, multi-touch

Security

Power-on password, hard disk password, supervisor password, security keyhole

Security chip

Firmware TPM 2.0, integrated in chipset

Fingerprint reader

None

Battery

V110-15ISK: Integrated Li-Ion 4-cell *(32Wh)* battery
V110-15IAP: Integrated Li-Ion 3-cell *(24Wh)* battery
V110-15IKB: Integrated Li-Ion 4-cell *(32Wh)* battery
V110-15AST: Integrated Li-Ion 3-cell *(24Wh)* battery

Max battery life

Up to 6 hr

AC adapter

45W or 65W AC adapter

Preload

Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 10 Pro 64
- Adobe® Reader®
- Microsoft® Office preloaded; purchase a product key to activate
- McAfee® LiveSafe™ (30-day trial)

Some: Windows 10 Home 64
Some: Windows 10 Pro 64
- Lenovo Companion
- Lenovo Setting
- Microsoft Office preloaded; purchase a product key to activate
- McAfee® LiveSafe™ (30-day trial)

Limited warranty

One of the following, configurable by model:
- 1-year depot repair service
- 2-year/1-yr battery depot repair service

Environment

EPEAT™ Silver; ENERGY STAR® 6.1; RoHS-compliant

Lenovo V110 (15")

