G9 3.2W 4000K 320Lm Non-Dimmable 270 deg Beam Angle



Integral LED G9 lamps offer a high lumen output in Cool White or Warm White. At 3.2W they are highly efficient compared to the halogen lamps they are designed to replace.

Product Details

Partcode: ILG9NE006

Check Code: 780226

Range Name: Dorado

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: G9

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: G9

Base Type: G9

Globe Finish: Clear

Material: Plastic

Construction: Plastic

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE

Physical Data

Length: 53mm

Width: 18mm

Diameter: 18mm

Weight (Unpackaged Single Unit): 1g

Lamp or Luminaire Shape: Cylindrical

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 3.2 Watts

Driver included: Yes

Driver IC Manufacturer: Bright Power Semiconductor

Electric Current: AC

Ampage: 27.00mA

Frequency Range: 50/60 Hz

Power Factor: >=0.40

Wattage Equivalent: 30 Watts

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-62560

Light Data

Lumens: 320lm

Lumens per Watt: 100.0lm/W

Beam Angle: 270º

Correlated Colour Temperature (CCT): 4,000k

Colour Temperature: Cool White

Colour Rendering Index (CRI): >=80

LED Type: COB


Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788224334

Packaged Weight (Unit of 1): 15g

Length (unit of 1): 60mm

Width (unit of 1): 25mm

Depth (unit of 1): 25mm

Outer packaging info available on website

Product data last updated on: Friday, September 29, 2017 - 17:37

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE