Classic Globe (GLS) Full Glass Omni-Lamp 8W (75W) 2700K 1055lm E27 Non-Dimmable 330 deg Beam Angle



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILGLSE27NC038

Check Code: 237216

Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Globe Type: Classic Globe (GLS)

Globe Finish: Clear

Material: Glass

Construction: Glass shell, Filament strip

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE

Physical Data

Length: 118mm

Width: 67mm

Weight (Unpackaged Single Unit): 48g

Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 8.0 Watts

Driver included: Yes

Electric Current: AC

Ampage: 62.00mA

Frequency Range: 50 Hz

Power Factor: >=0.50

Wattage Equivalent: 75 Watts

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-62560

Light Data

Lumens: 1,055lm

Lumens per Watt: 132.0lm/W

Beam Angle: 330º

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip


Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788217411

Packaged Weight (Unit of 1): 98g

Length (unit of 1): 127mm

Width (unit of 1): 70mm

Depth (unit of 1): 70mm

Outer packaging info available on website

Product data last updated on: Friday, September 29, 2017 - 17:34

Product design and specification subject to change or modification without notice. Image for illustration only. E&OE