PHILIPS

Lighting



Classic filament LED Lamps

CLA LEDBulb D 7.5-48W A60 E27 820 GOLD

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	7.5-48W

Light Technical	
Color Code	820 [CCT of 2000K]
Luminous Flux (Nom)	610 lm
Luminous Flux (Rated) (Nom)	610 lm
Color Designation	Flame
Correlated Color Temperature (Nom)	2000 K
Luminous Efficacy (Rated) (Nom)	81.33 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	7.5 W
Lamp Current (Nom)	36 mA
Wattage Equivalent	48 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	55 °C

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Amber

Approval and Application	
Energy Efficiency Label (EEL)	A+

Classic filament LED Lamps

Energy Consumption kWh/1000 h	8 kWh

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001332902
Net Weight (Piece)	0.030 kg

Product Data

Full product code	871869670956600
Order product name	CLA LEDBulb D 7.5-48W A60 E27 820 GOLD
EAN/UPC - Product	8718696709566
Order code	929001332902

Dimensional drawing



Product	D	C
CLA LEDBulb D 7.5-48W A60 E27 820 GOLD	60 mm	104 mm

Bulb A60 230V 7.5-48W600lm 2000K D Amber

Photometric data





LEDbulb 48W E27 820 GOLD A60



LEDbulb 40W E27 827 CL A60 D

Classic filament LED Lamps

Lifetime



LEDbulb 40W E27 827 CL A60 D



LEDbulb 40W E27 827 CL A60 D

© 2017 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.