


Classic filament LED Lamps

CLA LEDBulb ND 5-25W E27 2000K A160 GOLD

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	5-25W

Light Technical	
Color Code	820 [CCT of 2000K]
Luminous Flux (Nom)	300 lm
Luminous Flux (Rated) (Nom)	300 lm
Color Designation	Flame
Correlated Color Temperature (Nom)	2000 K
Luminous Efficacy (Rated) (Nom)	60.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	5 W
Lamp Current (Nom)	44 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	27 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb Finish	Transparent Amber

Approval and Application	
Energy Efficiency Label (EEL)	A

Classic filament LED Lamps


Energy Consumption kWh/1000 h	5 kWh

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	2
Material Nr. (12NC)	929001817102
Net Weight (Piece)	0.230 kg

Product Data

Full product code	871869676810500
Order product name	CLA LEDBulb ND 5-25W E27 2000K A160 GOLD
EAN/UPC - Product	8718696768105
Order code	929001817102


Dimensional drawing




Product	D	C
CLA LEDBulb ND 5-25W E27 2000K A160 GOLD	160 mm	293 mm


Bulb PS160 230V 6-25W 300lm 2000K E27 ND

Photometric data






CLA LEDbulb 25W E27 820 GOLD A160




CLA LEDbulb 25W E27 820 GOLD A160

Classic filament LED Lamps

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

© 2017 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.