

CorePro LEDcapsule MV

CorePro LEDcapsule ND 2.8-35W G9 827

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9 [G9]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	30000X
Technical Type	2.8-35W

Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	315 lm
Luminous Flux (Rated) (Nom)	315 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (Rated) (Nom)	112.50 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 Hz
Power (Rated) (Nom)	2.8 W
Lamp Current (Nom)	26 mA
Wattage Equivalent	35 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	80 °C

Controls and Dimming	
Dimmable	No

Approval and Application	
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	3 kWh

Product Data	
Full product code	871869672642600
Order product name	CorePro LEDcapsule ND 2.8-35W G9 827
EAN/UPC - Product	8718696726426
Order code	929001357702

CorePro LEDcapsule MV

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929001357702

Net Weight (Piece)	0.012 kg

Dimensional drawing



Product	D	C
CorePro LEDcapsule ND 2.8-35W G9 827	16 mm	49 mm

Capsule 230V 3-35W 315lm 2700K G9 ND

Photometric data





CorePro LEDcapsule MV 35W G9 827 Capsule



CorePro LEDcapsule MV 35W G9 827 Capsule

CorePro LEDcapsule MV

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

© 2017 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.