Smooth typing

FUJITSU Accessories - Keyboards













Fujitsu	Wireless Keyboard Set LX901	Wireless Keyboard Set LX390	Keyboard KBPC PX ECO	Keyboard KB521 USB	Keyboard KB915	Keyboard KB900	Keyboard KB410 USB	Keyboard KB410 PS2	Keyboard KBPC E USB	Keyboard KB950 Phone	Keyboard KB951 PlamM2
Type	Secure Combo Laser Set	Combo Optical Set	Professional GreenIT	Business	Backlight	Design	Office	Office	Ergonomic	Communitcation	Biometric
Slim design	yes	yes	-	yes	yes	yes	yes	yes	-	yes	yes
Multifunction keys	yes	-	yes	yes	yes	yes	-	-	-	yes	yes
Backlight keys	-	-	-	-	yes	-	-	-	-	-	-
Laser printed keys	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Power ON button	-	-	yes	yes	-	-	-	-	-	yes	yes
Adjustable	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Handrest	yes	-	yes	-	-	yes	-	-	yes	yes	yes
Spill resistant	yes	-	-	yes	-	yes	yes	yes	-	yes	yes
Status LED	Battery Status LED	Caps, Scroll, Numlock LEDs	blue	blue	red	red	blue	blue	green	white	white
Display / Caculator	-	-	-	-	-	-	-	-	-	yes	yes
Bio material	-		yes	-	-	-	-	-	-	-	-
PVC free cable	-	-	yes	-	-	-	-	-	-	-	-
Wireless Combo keyboard and mouse											
Wireless Technology 2.4 GHz	yes	yes	-	-	-	-	-	-	-	-	-
Encryption AES 128-bit	yes	-	-	-	-	-	-	-	-	-	-
Mouse	LED	Optical	-	-	-	-	-	-	-	-	-
Mouse resolution	800 / 1600 dpi	1000 dpi	-	-	-	-	-	-	-	-	-
Interfaces											
Required interface	USB	USB	USB or PS/2 (with additional cable)	USB	USB	USB	USB	PS/2	USB	USB	USB
Cable length	-	-	2.0 m	1.85 m +/- 0.05 m	1.85 m	1.8 m	1.85 m +/- 0.05 m	1.85 m +/- 0.05 m	1.8 m	1.85	1.85
Packaging information											
Retail box	yes	yes	-	-	yes	yes	-	-	-	-	-
Batteries	yes	yes	-	-	-	-	-	-	-	-	-
Software	yes	-	-	-	-	-	-	-	-	-	-
Order information											
Order code (**country specific variation)	S26381-K565-L4**	S26381-K590-L4**	S26381-K341-L1**	S26381-K521-L1**	S26381-K563-L4**	S26381-K560-L4**	S26381-K511-L4** S26381-K511-E4**	S26381-K515-L4** S26381-K515-E4**	S26381-K261-L7**	S26381-F950-L4*	S26381-K951-L4*

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Smart and precise

FUJITSU Accessories - Wired Mice








Fujitsu	Blue LED Mouse GL9000	Mouse M530 (Black and Grey)	Mouse M440 ECO BL	Notebook Mouse M420NB	Mouse M520 (Black and Grey)	SpaceMouse™ Pro
Type	PC Mouse	PC Mouse	PC Mouse	Notebook Mouse	PC Mouse	3D Mouse
Optical	-	-	yes	yes	yes	-
Laser	Blue LED Sensor	yes	-	-	-	-
Mouse resolution	1000 dpi 1500 dpi 2000 dpi	1200 dpi	1000 dpi	1000 dpi	1000 dpi	-
Resolution switch	yes	-	-	-	-	-
Tilt wheel	yes	yes	-	-	-	-
Mouse buttons	10 buttons: 2 for 4-way scroll function; 2 for resolution switch	2 buttons for 4-way scroll function	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	15 programmable keys
Left and right hand use	-	yes	yes	yes	yes	yes
Size	Maxi	Midi	Midi	Mini	Midi	-
Interfaces						
Required interface	USB	USB or PS2	USB	USB	USB	USB
Cable length	1.8 m	1.8 m	1.8 m	1 m	1.8 m	-
Packaging information						
Retail box	yes	-	-	yes	-	yes
Software	yes	-	-	-	-	-
Order information						
Order code	S26381-K438-L100	S26381-K468-L100 (black) S26381-K468-L101 (grey)	S26381-K450-L200	S26381-K453-L100	Black: S26381-K467-L100 Grey: S26381-K467-L101	S26381-K459-L100

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Smart and precise

FUJITSU Accessories - Wireless Mice

					
Fujitsu	**Wireless Mouse Touch WI910**	**Notebook Mouse WI610**	**Wireless Mouse WI410**	**Wireless Mouse WI200**	**Wireless Presenter R400**
Type	Wireless Mouse	Wireless Mouse	Wireless Mouse	Wireless Mouse	Wireless Presenter
Optical	yes	yes	yes	yes	-
Laser	-	-	-	-	yes
Mouse resolution	1000 dpi 1500 dpi 2000 dpi	1000 dpi 1500 dpi 2000 dpi	1000 dpi	1000 dpi	-
Resolution switch	yes	yes	-	-	-
Tilt wheel	-	yes	-	-	-
Buttons	5 buttons: 3 programmable, 2 preset, and 1 scroll wheel	8 buttons incl. tilt wheel-button and 1 DPI switch button	2 buttons and 1 scroll wheel/button	2 buttons and 1 scroll wheel/button	ON / OFF switch Presentation button (F5) Black screen button (B) Page up / Page down button
Left and right hand use	-	yes	yes	yes	yes
Size	Maxi	Midi	Mini	Midi	-
Wireless technologies					
Wireless Technology 2.4 GHz	yes	yes	yes	yes	yes
Micro receiver	yes	yes	yes	yes	yes
Receiver slot	yes	yes	yes	yes	yes
Interfaces					
Required interface	USB	USB	USB	USB	USB
Packaging information					
Retail box	yes	yes	yes	yes	-
Batteries	yes	yes	yes	yes	yes
Software	yes	yes	-	-	-
Order information					
Order code	S26381-K465-L100	S26381-K460-L100	S26381-K464-L100	S26381-K462-L100	TAV:LTC-R400

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

On the way
FUJITSU Accessories - Cases










Fujitsu	Supreme Case	Prestige Case Mini 13	Pro Green Case 14	Messenger Bag 14	Prestige Case 15	Prestige Top Case 15	Prestige Case 16	Top Case 14
Maximum notebook size	up to 39.6 cm / 15.6-inch	up to 34 cm / 13.3-inch	up to 35.5 cm / 14-inch	up to 35.5 cm / 14-inch	up to 41 cm / 16-inch	up to 39.6 cm / 15.6-inch	up to 41 cm / 16-inch	up to 35.5 cm / 14-inch
Material	Leather	Nylon D1680 + D210 + PU	1800D Recycled PET / PU leather	Polyester / PU leather	Nylon (600 / 300) D	Nylon (840 / 600)	Nylon (600 / 300) D	600D Polyester
Color	Black	Black w/ red highlights	Black	Grey / black	Black / red	Black / red	Black / red	Black
Compartments	2	3	3	1	3	2	3	2
Trolley Belt	yes	yes	yes	no	yes	yes	yes	no
Order information								
Order code	S26391-F1192-L900	S26391-F1192-L151	S26391-F1194-L80	S26391-F1194-L171	S26391-F1194-L60	S26391-F1194-L50	S26391-F1194-L61	S26391-F1194-L120








Fujitsu	Casual Entry Case 16	Prestige Trolley 17.3	Pro Green Backpack 14	Casual Backpack 16	Prestige Backpack 17	Sportive Backpack 15
Maximum notebook size	up to 39.6 cm / 15.6-inch	up to 45 cm / 17.3-inch	up to 35.5 cm / 14-inch	up to 41 cm / 16-inch	up to 43.9cm / 17.3-inch	Up to 390 x 265 x 40 mm
Material	Nylon	Nylon	1800D Recycled PET	Nylon / polyester	Nylon 840D	Polyester
Color	Black with red details	Black	Black	Black / grey	Black w/ red highlights	Black /red
Compartments	1	4	3	2	3	2
Trolley Belt	-	yes	-	-	-	-
Order information						
Order code	S26391-F1191-L107	S26391-F1194-L130	S26391-F1194-L82	S26391-F1192-L167	S26391-F1192-L135	S26391-F1194-L136

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

On the way
FUJITSU Accessories - Tablet PC







	Sleeve Case M	DICOTA PerfectSkin 15-15.6 Sleeve	Sneaker Sleeve
Tablet compatibility	up to 35.5 cm / 14-inch	12 - 12.5-inch 13 - 13.3-inch 14 - 14.1-inch 15 - 15.6-inch 16 - 17.3-inch	12.5-/15.6-inch
Material	Twill PU / Micro Suede	Black neoprene	Black PU
Weight	370 g	300 g	340 g/ 390 g/ 460 g
Dimensions (W x D x H)	343 x 38 x 248 mm	404 x 45 x 289 mm	345 x 240 x 33 mm / 420 x 285 x 33 mm
Miscellaneous	Black with red interior For Notebooks up to 14 inch (Ultrabook) Protection case made out of Twill PU and Micro suede Magnetic closure lining in red Debossed Infinity logo on the front and Fujitsu Brand name on the back	Robust, especially elastic neoprene Adapts perfectly like a second skin to the notebook Guarantees optimal protections from scratches and small damages Zipper is equipped with a special surface in the inside to avoid scratches on the notebook	Black protection case made out of PU Two compartments for NB and documents Sleek and practical design for daily use
Order Information			
Order code	S26391-F1192-L312	S26391-F1193-... ...-L125 12 - 12.5-inch ...-L133 13 - 13.3-inch ...-L141 14 - 14.1-inch ...-L100 15 - 15.6-inch ...-L173 16 - 17.3-inch	S26391-F1194-... ...-L201 12.5-inch ...-L501 15.6-inch

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Powerful NAS solutions

FUJITSU Storage - CELVIN® NAS systems









	CELVIN® NAS QE707	CELVIN® NAS QE805	CELVIN® NAS Q805	CELVIN® NAS Q905
Type	Hot-swappable 2-bay system	Hot-swappable 4-bay system	Hot-swappable 4-bay system	Hot-swappable 6-bay system
Hard disk capacity	Up to 2 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 6 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD
Required interface	x2 GB-Ethernet	Ethernet / x2 GB-Ethernet	Ethernet / x4 GB-Ethernet	Ethernet plug / x4 GB-Ethernet
Max. Device Capacity	12 TB	24 TB	32 TB	48 TB
Memory	1 GB	1 GB	2 GB / Upgrade to max. 8 GB	2 GB / Upgrade to max. 8 GB
HDMI / USB 2.0 / USB 3.0	- / - / x3	- / - / x3	yes / x2 /x3 / -	yes / x2 /x3 / -
LCD-Displays Instant Setup	-	-	yes	yes
Virtualization and Clustering Support	-	-	yes	yes
VMWare/Citrix/HyperV	-	-	yes	yes
iSCSI Target/Initiator	yes	yes	yes	yes
Thin Provisioning	yes	yes	yes	yes
One-button back up + Client back up software	yes	yes	yes	yes
Raid Level	0/1/JBOD	0/1/5/6/10/JBOD	0/1/5/5+HS/6/10/JBOD	0/1/5/5+HS/6/6+HS/10/10+HS/JBOD
Backup Server	yes	yes	yes	yes
FTP and File Server / WEB Server / Printer Server	yes	yes	yes	yes
SQL Server	yes	yes	yes	yes
IP Cams	2 free channels / up to 8 channels possible	2 free channels / up to 8 channels possible	2 free channels / up to 40 channels possible	2 free channels / up to 40 channels possible
Remote Access and System Management	yes	yes	yes	yes
Snapshot Support	yes (limited)	yes (limited)	with 4 GB RAM	with 4 GB RAM
Central Management Support	yes	yes	yes	yes
Application Center	yes	yes	yes	yes
Order code S26341-...	Order codes depending on configuration	Order codes depending on configuration	Order codes depending on configuration	Order codes depending on configuration

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Powerful NAS solutions

FUJITSU Storage - CELVIN® NAS systems





	CELVIN® NAS QR806	CELVIN® NAS QR1006
Type	Hot-swappable 4-bay-system	Hot-swappable 8-bay-system
Hard disk capacity	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6GB/s HDD / SSD	Up to 8 x 2.5-inch or 3.5-inch SATA I/II/SATA 6GB/s HDD / SSD
Required interface	x4 GB Ethernet / 10GB Ethernet	x4 GB Ethernet / 10GB Ethernet
Max. Device Capacity	32 TB	64 TB
Memory	4 GB / Upgrade to max. 8GB	4 GB / Upgrade to max. 8GB
Virtualization and Clustering Support	yes	yes
iSCSI Target/Initiator	yes	yes
VMWare/Citrix/HyperV	yes	yes
Thin Provisioning	yes	yes
One-button back up + Client back up software	yes	yes
Raid Level	0/1/5/5+HS/6/10/JBOD	0/1/5/6/5+HS/6+HS10/JBOD
Backup Server	yes	yes
FTP and File Server / WEB Server / Printer Server	yes	yes
SQL Server / Multimedia Server	yes	yes
IP Cams	4 free channels / up to 40 channels possible	4 free channels / up to 40 channels possible
Remote Access and System Management	yes	yes
Snapshot Support	yes	yes
Central Management Support	yes	yes
Application Center	yes	yes
Order code S26341-...	Order codes depending on configuration	Order codes depending on configuration

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

More capacity for important data

FUJITSU Accessories - Storage USB: HDD, Flash, ODD






	Ultra Slim Portable DVD Writer GP60NB60	ADATA HV620S USB3.1	ADATA SE730H External Solid State Drive	ADATA UC350 USB Type-C Flash Drive
Type		Portable USB 3.1 HDD Drive	External SSD USB 3.1 Gen 2 Drive	Switchable Type-A and Type-C USB 3.1(Gen 1) Flash drive
Hard disk capacity/ Disk Outa Diameter	DVD / CD	1 TB	256 GB SSD	32 GB - 64 GB
Power				
USB powered	yes	yes	yes	yes
Design				
Size	144 x 137.5 x 14 mm	2.5	44 x 12.2 x 72.7 mm	Micro format
USB 2.0 total	1	-	-	-
USB 3.0 total	-	1	1	1 & Type-C
USB Notes	USB 2.0 (Plug&Play)	Connecting via USB 2.0 requires plugging in to two USB ports for sufficient power delivery. A USB Y-cable will be needed.	Product includes USB-C to USB-C cable. Connection to microUSB (USB-A) requires separate cable (not included)	Switchable Type-A and Type-C USB 3.1(Gen 1) connectors, backward compatible with USB 2.0 / USB 3.0
Required interface		USB 3.0 or USB 2.0	USB 3.1 Gen2 Type-C	
Transfer rate	Write speed: DVD - R 8x / CD - R 24x DVD - R DL 6x DVD - RW 6x / CD - RW 24x DVD - RAM 5x DVD + R 8x DVD + R DL 6x DVD + RW 8x M-DISC 4x Read speed: DVD - R 8x / CD - R 24x DVD - R DL 8x / DVD - RW 8x / CD - RW 24x DVD - ROM 8x / CD - ROM 24 x DVD - RAM 6x DVD + RW 8x DVD + R DL 8x DVD + RW 8x M-DISC 8x	SuperSpeed USB 3.1	up to 10 Gbs	100 MB/s read and 30 MB/s write
Order information				
Order code	S26341-F103-L142	S26391-F6048-L510	S26391-F6048-L525	S26391-F6048-L432 32 GB S26391-F6048-L464 64 GB

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Comfort and communication
FUJITSU Accessories - Multimedia






Fujitsu	UC&C USB Headset Stereo H650e	UC&C USB Value Headset	Communicator Headset	Plantronics Blackwire 325
Speaker design	Super-aural 35 mm speaker	Bi-aural 30 mm speaker	Super-aural 30 mm speaker	On-ear / headband
Audio Surround	Stereo	Stereo	Stereo	Stereo
Weight	135 g	100 g	70 g	114 g
Wired Control	yes	yes	-	yes
Required interface	USB 2.0 / 3.0	USB 2.0 / 3.0	3.5mm audio jack	USB 2.0 / 3.0
Mute	yes	yes	-	yes
Noise Reduction	yes	yes	-	yes
Microphone	yes	yes	yes	yes
Power supply	USB powered	USB powered	line in powered	USB powered
Order Information				
Order code	S26391-F7139-L10	S26391-F7139-L20	S26391-F7139-L51	S26391-F7139-L350 (1 unit = 50 pieces)



Fujitsu	SOUNDSYSTEM DS E2000 Air
Type	Air-compressed woofer box
Watt (RMS)	2.4 W
Woofer design	1.5 inch full range driver
Audio Surround	2.0 channel with volume control
Wired Control	yes
Required interface	3.5 mm audio jack
Power supply	USB powered
Order Information	
Order code	S26391-F7128-L600

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Protect your data from unauthorized access

FUJITSU Accessories - Security







Fujitsu	SmartCard Reader SCR3500	Authentrend Key.Hello	SmartCard Reader Cloud 2700 R	KB100 SCR	KB100 SCR black
Type	SmartCard Reader	Fingerprint Reader Touch	SmartCard Reader	SmartCard Keyboard	SmartCard Keyboard
Design					
Compact design	yes	yes	-	-	-
Multifunction keys	-	-	-	yes	yes
Laser printed keys	-	-	-	yes	yes
Status LED	Red	Blue	Green	Green	Green
Color	Black	Silver	Black	Marble grey	Black
SmartCard Technology					
SmartCard Reader	yes	-	yes	yes	yes
Fingerprint Reader	-	yes	-	-	-
Interfaces					
Required interface	USB	USB	USB	USB	USB
Cable length	-	-	1.5 m	1.8 m	1.8 m
Packaging information					
Software	-	supported by Windows Hello	yes	-	-
Order information					
Order code	S26381-F350-L100	S26381-K469-L100	S26381-F2700-L100	S26381-K100-L1** (**country specific variation)	S26381-K100-L4** (**country specific variation)

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Protect your data from unauthorized access

FUJITSU Accessories - Security







Fujitsu	PalmSecure Sensor F PRO	PalmSecure OEM Sensor	PalmSecure U Guide	PalmSecure ID ACCESS PSN900	PalmSecure ID Match
Type	Secure Access Sensor	Secure Access Sensor	Palm Guide	Authentication Terminal Time & Attendance and Physical Access Control	High Security Identity Authentication Device
Design					
Compact design	-	-	-		-
Display	-	-	-	5.0 ' Touch Screen	4.3" capacitive touch display
Status LED	-	-	-		RGB Status LED
Color	Black	Black	Black	Black	Black
SmartCard Technology					
SmartCard Reader	-	-	-	yes	yes
RFID Reader	-	-	-		yes
Interfaces					
Required interface	USB	Recommended connector at the Sensor side: ACON brand: MNC12--5K5210 or equivalent	-	LAN	USB
Packaging information					
Software	-	-	-	NMS	Linux
Order information					
Order code	S26381-K434-L150	S26381-K434-L100	S26381-K434-L500	S26381-K434-L901 S26381-K434-L902 S26381-K434-L903 S26381-K434-L904 S26381-K434-L905 S26381-K434-L906	S26361-K1500-V115

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Charge your devices everywhere

FUJITSU Accessories - Power







Fujitsu	Car/Truck Power Adapter 90	Car/Air DC Mini Adapter 80	Dual USB Quick Charge Adapter
Color	Black	Black	Black
Dimensions (w x d x h)	115 x 53.7 x 21.5 mm	64 x 49 x 17 mm	60 x 51 x 32 mm (w/o plug)
Weight	250 g (w/o cables and connectors)	70 g (w/o cables and connectors)	103 g (w/ EU plug attached)
Input	Voltage range: 11 - 32V	12 - 15V	230 VAC
Output	Voltge range: 10 - 24V nominal / 85W max.	19V + 5V USB (68W)	2 x USB; 2.1 Type-A each
Safety Features	- Reverse polarity - Under voltage protection - Over current protection - Over voltage protection - Over temperature protection - Short circuit protection	- Reverse polarity - Under voltage protection - Over current protection - Over voltage protection - Over temperature protection - Short circuit protection	- Over voltage protection - Over current protection - Short circuit protection
Connectors	Input Connector: Cigarette lighter adapter with multiple connector system Input cable length: 100 cm Output Connector: Typ C01 for 16V pin length:10 +- 0.3 mm; outer diameter: 6.5 mm Typ C03 for 19V pin length:14.2 + 0.5 mm; outer diameter: 5.5 mm Typ CØ5 for 19V pin length:9.6 +-0.3 mm; outer diameter: 3.4 mm Output cable length: 100cm Output 2: USB receptacle, Type-A	Car Adapter plug with additional EmPower Flight Adapter Notebook: 19V Tablet: 19V	EU / UK / US switchable adapter plug included
Order information			
Order code	S26391-F2613-L610	S26391-F2613-L616	S26391-F2613-L620

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Get connected in a second

FUJITSU Accessories - Connectivity







Fujitsu	USB 3.0 Port Replicator PR08	USB Port Replicator PR 8.1	USB Port Replicator PR 7.1	USB Port Replicator PR09	USB 3.0 Hub 4 Ports
Data Rates	up to 2.7 Gbp/s	up to 1 Gbp/s	1 Gbit/s	up to 10 Gbit/s	5 Gbit/s
Power supply	AC Adapter	AC Adapter	AC Adapter	AC Adapter 20 VDC	AC and bus-powered
Resolution	All standards from 640 x 480 to 2560 x 1152 (16/32 bit) 2560 x 1600 pixel (max. resolution, DisplayPort single-mode) 2048 x 1152 pixel (max. resolution, DVI-I, dual-mode)	All standards from 640 x 480 to 2048 x 1152 and 2048 x 1280 to 3840 x 2160 pixel (DP only)	All standards from 640 x 480 to 2048 x 1152 pixel	1x up to 5120 x 2880 @ 60Hz or 2x up to 4096 x 2160 @ 60Hz	-
Required interface	USB 3.0 (or USB 2.0)	USB 3.0	USB 3.0	USB Type-C	USB 3.0 (or USB 2.0)
DisplayLink	Certified	Certified	Certified	Certified	-
LAN	10/100/1000	10/100/1000	10/100/1000	10/100/1000	-
Graphic	DiplayPort, DVI-I	Use of either DisplayPort or HDMI	Either use of HDMI or DVI	2 x DisplayPort 1.2a DP++	
Hub	2 x USB 2.0, 2 x USB 3.0	3 x USB 3.0	2 x USB 3.0	4x USB Type-A (Gen1) 3x USB Type-C (Gen2)	4 x USB 3.0
Line in / out USB	Line in / out USB	Line in / out USB	Audio via USB	SPDIF	-
Packaging information					
Package Content	USB 3.0 Port Replicator PR08	USB Port Replicator PR8.1 Power adapter Exchangeable AC plugs for EU, US, UK, CN, AUS/NZ USB 3.0 Type-A to Type-B Cable (100 cm), USB CTS certified Quick Start Guide Driver CD with manual	USB Port Replicator PR7.1 Power adapter Exchangeable AC plugs for EU, US, UK, CN, AUS/NZ USB 3.0 Type-A to Type-B Cable (100 cm) Quick Information Guide Driver CD with manual	USB Port Replicator PR09 AC/DC Adapter 20V, 120W EU-power cord, 1.8 m USB Type-C cable, 1 m Quick Start Guide Service Desk & Warranty Informations Safety Notes Informationcard for driver download	USB 3.0 Hub 4 Ports
VGA Adapter	yes	Supported with adapter S26391-F6055-L260 (not included)	-	no	-
Order information					
Order code	S26391-F6007-L400	S26391-F6007-L410	S26391-F6007-L310	S26391-F6007-L500	S26391-F6099-L304

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Clean desk for efficient working

FUJITSU Accessories - Connectivity







Fujitsu	Workplace Connect Kit 1.0	Workplace Connect Kit 2.0	EVOline Square
Power supply	240 VAC	240 VAC	240 VAC
On / off switch	yes	yes	yes
Power sockets on desk	2 / integrated	2 / integrated	2 / integrated
Power sockets under desk	2 x 3 power socket	2 x 3 power socket	2 x 3 power socket
Features	See USB 3.0 Port Replicator PR08	See USB Port Replicator PR09	-
Packaging information			
Package Content	Workplace Connect Gate 2.0 USB 3.0 Port Replicator PR08 Dual USB Quick Charge Adapter Notebook AC Adapter, 19V 80W Power Cable EU	EVOline Dock Square USB Port Replicator PR09	EVOline Dock Square
Order information			
Order code	S26391-F6055-L710	BDL:F6055L720-DE	S26391-F6055-L630

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Get connected in a second

FUJITSU Accessories - Connectivity





Fujitsu	USB-to UHD DP Adapter	USB 3.0 Gigabit LAN Adapter
Data Rates	5 Gbit/s	850 Mbp/s
Power supply	Bus-powered	Bus-powered
Resolution	3840 x 2160 on DisplayPort	-
Required interface	USB 3.0	USB 3.0 (or USB 2.0)
DisplayLink	yes	-
LAN	-	10/100/1000
Graphic	DisplayPort 1.2	-
Hub	-	-
Audio	-	-
Packaging information		
VGA Adapter	Possible	-
Order information		
Order code	S26391-F6099-L500	S26391-F6055-L520

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Get connected in a second

FUJITSU Accessories - Connectivity

							
Fujitsu	**DP1.2 to HDMI2.0 Adapter**	**DVI to VGA Adapter**	**VGA Conversion Cable**	**DisplayPort to DisplayPort Cable**	**HDMI to HDMI Cable**	**USB 3.0 certified cable**	**VGA to VGA Cable**
Length	0.15 m	0.04 m	0.18 m	1.8 m	1.8 m	2.0 m	1.8 m
Color	Black	Black	Black	Grey	Marble grey	Black	Black
Specification	DisplayPort 1.2/ HDMI 2.0	165 MHz	165 MHz	DisplayPort 1.2a	HDMI version: 1.3	USB A / USB B	-
Interface	male / female	male / female	male / female	male / male	male / male	male / male	male / male
Order information							
Order code	S26391-F6055-L212	S26391-F6055-L260	S26391-F938-L900	S26391-F6055-L220	S26391-F6055-L230 S26391-F6055-L233 (20 pieces)	S26391-F6055-L320	S26391-F6055-L261

						
Fujitsu	**DVI-D to DVI-D Cable**	**HDMI to DVI-D Cable**	**USB to Serial Adapter Cable**	**DisplayPort to DVI Cable**	**DisplayPort to VGA Cable**	**Micro HDMI to HDMI Cable**
Length	1.8 m	1.8 m	0.85 m	0.4 m	0.18 m	2.0 m
Color	Black	Black	Black	Black	Black	Black
Specification	165 MHz	HDMI version 1.3	USB 1.1 or higher	DVI-D (Dual Link)	DisplayPort 1.2a	-
Interface	male / male	male / male	male / male	male / female	male / female	male / male
Order information						
Order code	S26391-F6055-L240	S26391-F6055-L250	S26391-F6055-L570	S26391-F6055-L270	S26391-F6055-L280 (1 piece) S26391-F6055-L281 (100 pieces)	S26391-F6055-L231

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Get connected in a second

FUJITSU Accessories - Connectivity









Fujitsu	MiniDP to DP 1.4 Cable	USB Type-C to USB Type-A Adapter	USB Type-A to USB Type-C Adapter	USB Type-C Cable 5A Gen2	USB Type-C to VGA Adapter	USB Type-C to DP Adapter	USB Type-C to Gb-LAN Adapter
Length	2.2 m	0.15 m	44 mm	1 m	0.15 m	0.15 m	0.175 m
Color	black	black	black	black	black	black	black
Specification	DisplayPort 1.4	USB 3.0	USB 3.1 Gen1	USB 3.1 Gen2	ALT-Mode	ALT-Mode	IEEE 802.3 / 802.3u
Interface	male / male	male / female	male / female	male / male	male / female	male / female	male / female
Order information							
Order code	S26391-F6055-L222 (1 piece) S26391-F6055-L221 (20 pieces)	S26391-F6058-L100 (1 piece) S26391-F6058-L120 (20 pieces)	S26391-F6058-L102 (1 piece) S26391-F6058-L122 (20 pieces)	S26391-F6058-L101 (1 piece) S26391-F6058-L121 (20 pieces)	S26391-F6058-L203 (1 piece) S26391-F6058-L224 (20 pieces)	S26391-F6058-L201 (1 piece) S26391-F6058-L223 (20 pieces)	S26391-F6058-L301 (1 piece) S26391-F6058-L321 (20 pieces)

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

Prevention from theft

Fujitsu Accessories - Security








Fujitsu	PocketSaver	Combination Ultra	MicroSaver Twin	Microsaver DS Ultra thin	MicroSaver Slim 2.0	MiniSaver Mobile Lock
Kensington	yes	yes	yes	yes	yes	yes
Lock solution / key style	Round key	-	Round key	Flat key	Round key	Flat key
Cable length	1.20 m	1.80 m	2.20 m	1.50 m	1.85 m	2.00 m
Cable diameter	2 mm	6 mm	5.3 mm	4 mm	5.3 mm	5 mm
Carbon-tempered steel	-	-	yes	yes	yes	yes
For thin notebooks	-	-	-	yes	-	yes
Order information						
Order code	S26391-F6045-L100	S26361-F1650-L510	S26361-F1650-L600	S26361-F1650-L900	S26361-F1650-L202	S26361-F1650-L910

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective

For protection from unauthorized views

FUJITSU Accessories - Privacy filter



For protection and Privacy	Privacy filter, 33.6 cm (13.3-inch)	Privacy filter, 35.4 cm (14.1-inch)	Privacy filter, 39.4 cm (15.6-inch)	Privacy filter, 35.0 cm (13.3-inch) (adhesively)
	S26391-F6098-L213	S26391-F6098-L214	S26391-F6098-L215	S26391-F6097-L361
Tablet STYLISTIC Q738 (only touch)	x			x
Tablet LIFEBOOK T938 (only touch)	x			x
Notebook LIFEBOOK U938 (touch & non-touch)	x			(not compatible)
Notebook LIFEBOOK U937 (touch & non-touch)	x			(not compatible)
Notebook LIFEBOOK S938 (touch & non-touch)	x			x
Notebook LIFEBOOK S937 (touch & non-touch)	x			x
Notebook LIFEBOOK U758 (touch & non-touch)			x	
Notebook LIFEBOOK U757(touch & non-touch)			x	
Notebook LIFEBOOK U748 (touch & non-touch)		x		
Notebook LIFEBOOK U747 (touch & non-touch)		x		
Notebook LIFEBOOK E558 (non-touch)			x	
Notebook LIFEBOOK E557 (only non-touch)			x	
Notebook LIFEBOOK E548 (only non-touch)		x		
Notebook LIFEBOOK E458 (only non-touch)			x	
Notebook LIFEBOOK E547 (only non-touch)		x		
Notebook LIFEBOOK E448 (only non-touch)		x		
Notebook LIFEBOOK A557 (only non-touch)			x	
Notebook LIFEBOOK A357 (only non-touch)			x	
Mobile Workstation CELSIUS H780 (touch & non-touch)			x	
Mobile Workstation CELSIUS H770 (touch & non-touch)			x	

Fujitsu Technology Solutions http://www.fujitsu.com/fts/mobile CCD.info@ts.fujitsu.com Copyright Fujitsu Technology Solutions GmbH 2018 2018-09 CE-EN All hardware and software names used are brand names and/or trademarks of their respective