Verbatim LED MR16 GU5.3 4.5W

- GU5.3 Socket
- 12 V AC/DC
- 20,000 hours Lifetime
- 78% Energy Saving
- Luminous Flux 90° Cone: 210 lm
- Equivalent to 20W incandescent bulb







Product Number	**52618**
General Data	
Lamp Socket	GU5.3
Design	MR16 GU5.3
Electric Data	
Wattage (W)	4.5
Wattage Equivalent (W)	20
Voltage (V)	12 V AC/DC
Dimmable	no
Power Factor	0.50
Operating Frequency (Hz)	50-60
Geometric Data	
Length (mm)	49.8
Diameter (mm)	49.8
Weight (g)	48
Photometric Data	
Luminous Flux 90° Cone (lm)	210
CRI	≥ 80
CCT (K)	2700
Luminous Intensity (cd)	650
Beam Angle (°)	35
Luminous Efficacy (lm/W)	46.7
Lifetime (hrs)	20,000
Switching Cycle	100,000

Product image



Application image



Energy Rating



Technical Packaging Details

Barcode
023942526186

EAN 128
(02)00023942526186(37)04(91)204

EAN 14
50023942526181

Pack Dimensions(HxWxL)
145 x 103 x 51 (mm)

MOQ
4

Carton Dimensions (HxWxL)
160 x 117 x 223 (mm)

Cartons/Pallet
150

Layers/Pallet
5

Units/Pallet
600

Photometric Diagrams

