Verbatim LED MR16 GU5.3

- GU5.3 Socket
- 12 V AC/DC
- 25,000 hours Lifetime
- 70% Energy Saving
- Luminous Flux: 225 lm
- Equivalent to 20W incandescent bulb







Product Number	**52020**
General Data	
Lamp Socket	GU5.3
Electric Data	
Wattage (W)	6 W
Wattage Equivalent (W)	20
Voltage (V)	12 V AC/DC
Dimmable	no
Power Factor	0.70
Operating Frequency (Hz)	50-60
Geometric Data	
Length (mm)	44.0
Diameter (mm)	50.0
Weight (g)	42
Photometric Data	
Luminous Flux (lm)	225 lm
CRI	≥ 80
CCT (K)	2700
Luminous Intensity (cd)	400
Beam Angle (°)	25
Lifetime (hrs)	25,000

Product image



Application image



Technical Packaging Details

Barcode
023942520207

EAN 128
(02)00023942520207(37)0100(91)53

EAN 14
50023942520201

Pack Dimensions(HxWxL)
75 x 57 x 57 (mm)

Pack Weight
65 (g)

MOQ
10

Carton Dimensions (HxWxL)
611 x 303 x 189 (mm)

Cartons/Pallet
3

Layers/Pallet
4

Units/Pallet
1200

