Line Interactive UPS 800 VA - 480 W met AVR

Betrouwbare 800 VA UPS voor thuis en op kantoor



EW3947
8054392614880

OVERVIEW

- Line Interactive UPS 800 VA met een back-up-tijd van ongeveer 20 minuten bij een belasting van 120 W
- Geluidsalarm en led-meldingen bij stroomuitval, met status-leds
- Input: 1x IEC C14 met afneembare kabel, Output: 1x IEC C13 + 1x EU-stopcontact type F female
- Bescherming tegen: overspanning, kortsluiting, ontlading en overbelasting
- AVR-functie voor het stabiliseren van de outputvoltage

SPECIFICATIONS

- 2 YEAR WARRANTY

- Output Power: 800 VA/480 W
- Input: 230 V~50/60 Hz
- Output: 230 V~50/60 Hz
- Fuse: 10 A / 250 V
- Technology: Line Interractive
- Inverter Waveform: Simulated Sine wave
- Voltage stabilization: AVR (Automatic Voltage Regulation)
- Battery: 1 x 12 V / 9 Ah
- Backup time: Approx. 20 minutes for @ 120 W load
- Transfer time: less than 2-6 milliseconds
- Outlet socket: 1x IEC (C13) + 1x EU socket type F female
- Alarm function: AC fails, Low battery, Overload, Fault
- Protection: Short circuit protection, Discharge Overcharge and overload protection.
- Surge protection: 125 joules
- Control Panel: LED
- Weight: 5,0 Kg
- Dimension LxWxH: 298 x 101 x 142mm
- Power usage stand-alone: 10,5 W
- Equipped with: power cable, 1x spare fuse
- Environment: 0-90 % RH @ 0-40 °C (non-condensing)
- Colour: Black
- Replaceable Battery: Yes

SYSTEM REQUIREMENTS

UPS: 800VA
Output: 1x EU stopcontact type F (CEE7/3), 1x IEC C13

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content. © 2015 EWENT

Line Interactive UPS 800 VA - 480 W met AVR

Betrouwbare 800 VA UPS voor thuis en op kantoor

DESCRIPTION

Bescherm je computer en kostbare bestanden tegen stroomuitval en spanningspieken met de EW3947 Line Interactive UPS 800 VA met AVR. De UPS is uitgerust met 1x IEC C13 output en 1x EU-stopcontact type F. De UPS geeft een geluidsalarm en led-melding bij stroomuitval. Hierdoor krijg je 20 minuten (bij een belasting van 120 W) de tijd om je bestanden op te slaan en je computer veilig af te sluiten. De EW3947 is uitgerust met bescherming tegen: overspanning, kortsluiting, ontlading en overbelasting.

Back-up-tijd van ongeveer 20 minuten met een belasting van 120 W
De EW3946 Line Interactive UPS 800 VA heeft een IEC C13 output en een EU-stopcontact type F female om je computer en waardevolle bestanden tegen stroomuitval en spanningspieken te beschermen. Dankzij de ingebouwde batterij van de Line Interactive UPS heb je 20 minuten de tijd, bij een belasting van 120 W, om je bestanden op te slaan en je pc veilig af te sluiten. De AVR-functie zorgt ervoor dat de outputvoltage stabiel blijft.

Geluidsalarm en led-meldingen bij stroomuitval
De UPS geeft een geluidsalarm en melding via led bij stroomuitval. Daarnaast geeft de UPS ook een melding wanneer de ingebouwde batterij leeg raakt. De ingebouwde status-leds geven hiervan de status weer. De EW3947 biedt bescherming tegen overspanning, kortsluiting, ontlading en overbelasting.

Eenvoudig te verbinden
Het is heel gemakkelijk om een computer of een ander apparaat met de EW3947 te verbinden. Sluit de IEC C13 kabel aan op de UPS of steek de stekker in het EU-stopcontact.

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content. © 2015 EWENT

Line Interactive UPS 800 VA - 480 W met AVR

Betrouwbare 800 VA UPS voor thuis en op kantoor

IMAGES













QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT



QUALITY · VALUE · DESIGN · HELPDESK

www.ewent-online.com

All data and pictures in this data sheet have been created and their accuracy verified. No rights may be derived from in accurately presented content.

© 2015 EWENT