B10 and D10 Rugged Tablet Platform

Accessory Guide

One Tablet Platform.
Many Accessories.
Countless Applications.

© 2018 ZIH Corp. and/or its affiliates. All rights reserved.



B10 / D10 Docking Solutions

Industrial Dock



Part Numbers:
300010 (Industrial Dock with Port Replicator, includes Vehicle Dock G2 and stand)
300009 (Industrial Dock without Port Replicator, includes Vehicle Dock G2 and stand)

The Industrial Dock combines the xDock G2 Vehicle Cradle and a sturdy desk stand to hold your Xplore rugged tablet in place. Perfect for touch applications in the plant, warehouse, or office. The dock provides power to the tablet and has two USB ports for expanded connectivity. (B10, D10)

Adding an optional Dynadock® tower provides 6 USB ports; VGA, HDMI-out, and DVI-I video; Gigabit Ethernet; microphone and headset; and security lock slot. (Dynadock for B10 only)

Key Features:

- Sturdy desk stand holds device in place for touch usage
- Includes xDIM G2 Docking Interface Module, provides power to tablet, and 2 USB ports for attaching keyboard or other peripherals
- Compatible with XSLATE B10, D10
- Available with or without Dynadock® port replicator (port replicator not supported on D10)
- 1 year warranty

B10 / D10 Docking Solutions

Industrial Dock



Part Numbers:
300010 (Industrial Dock with Port Replicator, includes Vehicle Dock G2 and stand)
300009 (Industrial Dock without Port Replicator, includes Vehicle Dock G2 and stand)

Specifications:

INDUSTRIAL DOCK:

- Dimensions (L x W x H): 9.25 x 11.9 x 11.7 in (23.5 x 30.0 x 29.7 cm)
- Weight: 4.8 lb (2.18 kg)

4K PORT REPLICATOR:

- **Front Panel**: 2 "always-on" USB 3.0 ports (sleep & charge) | 3.5mm line-in (microphone/headset) | 3.5mm line-out (headphone/headset/speakers) | power light | USB status light
- **Back Panel**: 2 x USB 3.0 ports (USB 2.0 speeds supported) | 2 x USB 2.0 ports | RJ-45 10/100/1000 Ethernet | Video-out: HDMI (up to 2048x1152), DVI-1 (up to 2048x1280), VGA | 3 x 3.5mm line-out (5.1 surround sound speakers) | USB 3.0 connectors (to dock USB 2.0 port) | DC power in | Security lock slot
- Height 9.25 in (23.5 cm)
- Base (LxW) 4.5 x 5.3 in (11.4 x 13.5 cm)
- Weight: 1.15 lb (0.52 kg)
- Power supply included
- Dynadock® port replicator supported for B10 (not supported on D10)