HANNspree

55” Large Format Display

Experts in **Display**

HF 554 JPB

54,64” / 138,79cm Diagonal
LED Backlight – Format 16:9

- 55” 16:9 LED Backlight Large Format Display
- 3840 x 2160 UHD 4K Resolution
- 178° / 178° Ultra-Wide Viewing Angle
- 350 cd/m² Brightness (Typical)
- USB Media Player with Auto Play
- Video Inputs: HDMI, VGA
- Monitor Control: RS232 In/Out (via RJ45 port)
- Built-In Stereo Speakers 5W + 5W
- Wall-Mountable (VESA)
- 18/7 Working Operation
- 4-Side Narrow Bezel
- Metal Chassis
- Wall Mount and RC included

USB MEDIA PLAYER



54,64” / 138,79 cm

Part. No..: HF 554 JPB

SIZE, RESOLUTION

- 55” Screen Size 16:9 Aspect Ratio
- 4K Resolution 3840 x 2160

CONNECTIVITY

- HDMI VGA
- RS232 In/Out (via RJ45 port)

VIEWING ANGLE; SPEAKERS

- 178° Ultra-Wide Viewing Angle
- Built-In Stereo Speakers 5W + 5W

OTHER FEATURES

- 18/7 Operation
- 30.000 Hours
- VESA
- Remote Control

Display Solutions

Technical Specifications >>>

HANNspree

55” Large Format Display

Experts in **Display**

Display Size	138,79cm / 54,64“ Diagonal
Panel Type	TFT – LED Backlight IPS-Type Panel (*)
Aspect Ratio	16:9
Resolution (H x V)	3840 x 2160 UHD Resolution (4K)
Brightness	350cd/m² (Typ.)
Contrast (Typ.)	1200:1
Viewable Area (H x V)	1209,6 (H) x 680,4 (V) mm
Viewing Angle L/R; U/D	178° H / 178° V (CR >10)
Response Time	6 msec
Pixel Pitch	0,420 (H) x 0,315 (V) mm
Panel Surface	Anti-Glare
Display Colors	1.07 Billon colors
Horizontal Frequency	121,8 ~ 140 Khz - 135 Khz Typ.
Vertical Frequency	47 ~ 63 Hz - 60 Hz Typ.
Max Display Frequency	3840 x 2160 @ 60Hz
Input 1	VGA
Input 2	HDMI 2.0
Input 3	USB 2.0
Input 4	Audio In / Out (earphone jack)
Monitor Control	RS232 In/Out (via RJ45 port)
Buil-in Speakers	Yes, 8 Ω, 2 x 5W
Power Consumption	On: 140W; Stand-by: ≤0,5W; Off: ≤0,3W (TBC)
AC Power Range	AC 100 ~ 240 Volt; 50 ~ 60 Hz
Product Dimensions	1243,2 x 69,6 x 714 mm (W x D x H)
Packing Dimensions	1364 x 154 x 824 mm (W x D x H)
Net / Gross Weight	14,9±1.5 Kgs / 18,55±1.5 Kgs

VESA Mounting	400 x 400 mm; 4-M6 Screw holes
Kensington Lock	-
On Screen Display (OSD)	10 Languages
Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 85% (Non-Condensing)
Accessory	Power Cables (EU and UK Plug); Wall Mount; Remote Control; Warranty Card; Quick Start Guide
Bezel & Color Plan	Metal case and chassis, black color
Backlight Lifetime	30000 hours
Working Operation Time	18 hours x 7 days
Features	USB Media Player Auto-Play Auto-Power On
NOTE	Not suitable for portrait installations

PART. NO.:
HF 554 JPB

© 2019 HANNSpree, Inc. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ slightly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not be available for purchase in your particular country or locality. Please check with your local HANNspree authorized representatives for the availability of specific products in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

* “IPS-type" word mark / trademark and related patents on technologies belong to their respective owners.

Display Solutions

HANNspree

55” Large Format Display

Experts in **Display**




400

HANNspree

55” Large Format Display

Experts in **Display**

