Interactive System Board Viewer

HP EliteOne 800 G5 AiO

Welcome to the interactive System Board for the
HP EliteOne 800 G5 AiO

Here's how to use it...

Zoomable View (Click the link to navigate to the viewer)

On the Zoomable View page, you will find the viewer's zoom navigation links above the viewer on the left-hand side. You can choose from four levels of magnification: 1x, 2x, 3x, and 4x.

1x: The default magnification is 1x and at this magnification you can view the location of a feature by selecting it from the numbered list on the left.

2x, **3x**, **4x**: When you choose a greater magnification level, you use the navigation arrows and numbered features list to focus on the feature that you wish to review.

That's it!


Back to Welcome page




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connector
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

1 X View

1 X 2 X 3 X 4 X




Back to Welcome page




2 X View

1 X 2 X 3 X 4 X



1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor


Back to Welcome page



2 X View


1 X 2 X 3 X 4 X

1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor




Back to Welcome page

2 X View




1 X 2 X 3 X 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page




2 X View

1 X | 2 X | 3 X | 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page




3 X View

1 X 2 X 3 X 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page




3 X View

1 X 2 X **3 X** 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page




3 X View

1 X 2 X **3 X** 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page



3 X View

1 X 2 X **3 X** 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page




4 X View

1 X 2 X 3 X 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page




4 X View

1 X 2 X 3 X 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page



4 X View


1 X 2 X 3 X 4 X



1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor


Back to Welcome page

4 X View




1 X 2 X 3 X **4 X**

1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor




Back to Welcome page

4 X View




1 X 2 X 3 X 4 X

1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor




Back to Welcome page

4 X View




1 X 2 X 3 X 4 X




1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

Back to Welcome page

4 X View




1 X 2 X 3 X 4 X



1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor


Back to Welcome page




4 X View

1 X 2 X 3 X **4 X**

1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor



Back to Welcome page



4 X View

1 X 2 X 3 X 4 X

1. Clear CMOS button
2. M.2 WLAN socket
3. Backlight converter
4. LVDS connector
5. Power button, Fingerprint reader, Touch controller combo connector
6. 2 DDR4 SODIMM sockets
7. M.2 SSD socket
8. System fan connector
9. USB 3.1 Gen 2 Type-C port
10. Media card reader
11. RTC battery socket
12. DisplayPort (upper)
13. HDMI port (lower)
14. 4 USB 3.1 Gen 2 ports
15. RJ-45 (Ethernet) port
16. Audio line-out
17. USB 3.1 Gen 2 charging port
18. USB 3.1 Gen 2 port
19. Speakers connecto
20. Side audio connector
21. M.2 SSD socket
22. HDD SATA and power connector
23. ODD SATA and power connector
24. 12-pin power input
25. Discrete GPU
26. CPU
27. Password jumper
28. Webcam/Microphone connector
29. Hood sensor

