# Lenovo V530-15ICR 11BH0008SP

***Product***
Lenovo V530-15ICR

***Region***
WE

***Country/Region***
Spain

***Machine Type***
11BH

***TopSeller***
TopSeller

***Processor***
Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

***Chipset***
Intel B365

***Graphics***
Integrated Intel UHD Graphics 630

***Memory***
1x 8GB DIMM DDR4-2666

***Storage***
256GB SSD 2.5" SATA6Gb/s Opal

***Optane Memory***
None

***Optical***
9.0mm DVD±RW

***Media Reader***
7-in-1

***Speaker***
1.5Wx1

***Ethernet***
Integrated 100/1000M

***WLAN + Bluetooth***
None

***Color***
Black

***Optional Rear Ports***
None

***Keyboard***
USB Calliope Keyboard, Black, Spanish

***Mouse***
USB Calliope Mouse, Black

***Power Supply***
180W 85%

***Monitor Cable***
None

***Bundled Accessories***
None

***Operating System***
Windows 10 Pro 64, Spanish

***Bundled Software***
None

***Base Warranty***
1-year, Onsite

***Bundled Service***
None

***End of Support***
2025-11-15

***Announce Date***
2019-10-15

---

***Recommended Services***

***Better***
4Y Premier Support Upgrade from 1Y Onsite (5WS0T36168)

***Good***
3Y Premier Support Upgrade from 1Y Onsite (5WS0T36147)

**WWW.LENOVO.COM**

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

**https://psref.lenovo.com**

Visit psref website for the latest version of Product Specifcations Reference.

© Lenovo, 2019. All rights reserved.



# Lenovo V530-15ICR Tower Platform Specifications

*Product Specifications Reference (PSREF)*

**Processor**

Intel® Celeron®, Intel Pentium® Gold,
or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor

| Processor | Cores / Threads | Frequency Base/Max(GHz) | Cache | Memory Support (Up to) | Integrated Graphics |
|---|---|---|---|---|---|
| Celeron G4900 | 2 / 2 | 3.1G | 2 MB | DDR4-2400 | UHD 610 |
| Celeron G4920 | 2 / 2 | 3.2G | 2 MB | | |
| Pentium Gold G5400 | 2 / 4 | 3.7G | 4 MB | | |
| Pentium Gold G5420 | 2 / 4 | 3.8G | 4 MB | | |
| Core i3-8100 | 4 / 4 | 3.6G | 6 MB | | UHD 630 |
| Core i3-9100 | 4 / 4 | 3.6G / 4.2G | 6 MB | | |
| Core i5-8400 | 6 / 6 | 2.8G / 4.0G | 9 MB | DDR4-2666 | |
| Core i5-8500 | 6 / 6 | 3.0G / 4.1G | 9 MB | | |
| Core i7-8700 | 6 / 12 | 3.2G / 4.6G | 12 MB | | |
| Core i5-9400 | 6 / 6 | 2.9G / 4.1G | 9 MB | | |
| Core i5-9500 | 6 / 6 | 3.0G / 4.4G | 9 MB | | |
| Core i7-9700 | 8 / 8 | 3.0G / 4.7G | 12 MB | | |
| Core i9-9900 | 8 / 16 | 3.1G / 5.0G | 16 MB | | |

**Memory**

32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable
** System automatically clocks down for the processors with lower memory controller*

**Storage**

*Some:* Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm
*Some:* Solid State Drive (SSD) / SATA 6.0Gb/s
*Some:* Solid State Drive (SSD) / SATA 6.0Gb/s, Opal
*Some:* M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4
* 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s

**Optane™ Memory**

Optional 16GB Intel Optane Memory (not support Celeron / Pentium Processor), M.2

**Optical Drive**

*Some:* DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm)
Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)

**Onboard SATA**

Three onboard SATA 6.0Gb/s connectors (for HDD/SSD and ODD)

**Card reader**

Optional 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)

**Graphics**

**Intel UHD Graphics 610/630** in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, one HDMI, supports three independent displays, works along with discrete graphics to support more displays;
*Max resolution:* 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz
*Some:* **NVIDIA Geforce® GT 730**, DirectX 12, **2GB**, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts;
*Max resolution:* 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz
*Some:* **AMD Radeon™ 520** , DirectX 12, **1GB**, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 30 watts;
*Max resolution:* 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz

**Parallel Cable**

Optional

**Chipset**

**Intel B365 Chipset**

**Front ports***

Six USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm), optional card reader

**Rear ports***

Four USB 2.0, one serial, optional parallel, one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, additional VGA, or HDMI on optional graphic card on some models

**Rear audio ports***

Line-in (3.5mm), line-out (3.5mm), microphone (3.5mm)
** Depending on many factors, actual data transfer speed may be lower than theoretical speed*

**Audio support**

High Definition (HD) Audio, Realtek® ALC623-CG, optional internal speaker (1.5 watt )

**WLAN**

*Some:* 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
*Some:* 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1

**Bluetooth™**

*Some:* Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter

**Ethernet**

One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN®

**Modem**

None

**Manageability**

None

**Security chip**

Firmware TPM 2.0

**Security features**

- One lock to secure both cover and entire system to fixed object:
  -Padlock loop (in rear for opt padlock)
  -Security slot (in rear for optional Kensington® MicroSaver® cable)
- Administrator password
- Hard disk password
- Power-on password
- USB port disablement

**Keyboard**

*Some:* Lenovo Calliope Keyboard (USB connector), black

**Mouse**

*Some:* Lenovo Calliope Mouse (USB connector), red wheel, black
*Some:* Lenovo Fingerprint Mouse (USB connector), black

**Mechanical**

- Tower (15L), black color, metal case
- 5.7" W X 10.9" D X 14.2" H
- 145mm W X 276mm D X 360mm H
- Approx. 12.6 lb (5.7 kg), weight may vary by configuration

Bay 1: Slim external ODD bay
Bay 2: 2.5", internal, HDD/SSD (optional bay, bay comes with disk)
Bay 3: 3.5", internal, HDD/SSD (optional bay, bay comes with disk)
Slot 1: PCIe 3.0 x16
Slot 2: PCIe 3.0 x1
M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD)

**Power supply**

180 watts, autosensing, 85% PSU

**Limited warranty**

*Some:* **1-year depot repair** or **Carry-in service**
*Some:* **1-year** or **3-year**, **limited onsite service**

**Preload**

**Preloaded operating system**
*Some:* Windows 10 Pro 64-bit
*Some:* Windows 10 Home 64-bit
**Preloaded applications** (only some listed)

- Microsoft Office preloaded; purchase a product key to activate
- Lenovo Vantage
- Lenovo App Explorer
- McAfee® LiveSafe™(30-day trial)

**Environment**

ENERGY STAR® 7.0 ; EPEAT™ Silver rating; GREENGUARD®; RoHS-compliant

**Accessories**

For compatible accessories, please go to **http://smartfind.lenovo.com/**

Note: The specifications above may not be available in all regions.

Lenovo
September 2019

# Lenovo V530-15ICR











