ThinkCentre M75s SFF 11A9001DIX

Product
ThinkCentre M75s SFF

Region
WE

Country/Region
Italy

Machine Type
11A9

TopSeller
TopSeller

Processor
AMD Ryzen 5 PRO 3400G (4C / 8T, 3.7 / 4.2GHz, 2MB L2 / 4MB L3)

Graphics
Integrated AMD Radeon Vega 11 Graphics

Chipset
AMD PRO 560 FCH

Memory
1x 8GB DDR4-2666

Storage
512GB SSD M.2 2242 PCIe x2 NVMe

Optane Memory
None

Optional Bay
None

Front Access HDD
None

Optical
DVD±RW

Media Reader
7-in-1

Speaker
1Wx1

Ethernet
Integrated 100/1000M

WLAN + Bluetooth
None

Optional Rear Ports
None

Chassis Intrusion Switch
Chassis Intrusion Switch

Chassis E-Lock
None

Kensington Cable Lock
None

Smart Cable Clip
None

Dust Filter
None

Carry Handle
None

Color
Black

Stand
None

Keyboard
USB Traditional Keyboard, Italian

Mouse
USB Calliope Mouse

Power Supply
180W 85%

TUV Low Noise
None

Monitor Cable
None

System Management
DASH

Operating System
Windows 10 Pro 64, WE (EN/FR/DE/NL/IT)

Bundled Software
None

Base Warranty
1-year, Onsite

Bundled Service
None

EAN / UPC
0194632998801

End of Support
2026-01-31

Announce Date
2019-12-31

Recommended Services

Best
5Y Premier Support Upgrade from 1Y Onsite (5WS0T36190)

Better
4Y Premier Support Upgrade from 1Y Onsite (5WS0T36168)

Good
3Y Premier Support Upgrade from 1Y Onsite (5WS0T36147)

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

Visit psref website for the latest version of Product Specifcations Reference.

© Lenovo, 2020. All rights reserved.



ThinkCentre M75s-1 SFF Platform Specifications

Processor

AMD Athlon PRO and Ryzen 3 / 5 / 7 PRO series processor

Processor	Cores / Threads	Frequency (Base/Max)	L2 / L3 Cache	Memory Support (Up to)	Integrated Graphics
Athlon PRO 300GE	2 / 4	3.4 / 3.4	1MB / 4MB	DDR4-2666	Radeon Vega 3
Ryzen 3 PRO 3200G	4 / 4	3.6 / 4.0	2MB / 4MB	DDR4-2933	Radeon Vega 8
Ryzen 5 PRO 3400G	4 / 8	3.7 / 4.2	2MB / 4MB	DDR4-2933	Radeon Vega 11
Ryzen 5 PRO 3600	6 / 12	3.6 / 4.2	3MB / 32MB	DDR4-3200	None
Ryzen 7 PRO 3700	8 / 16	3.6 / 4.4	4MB / 32MB	DDR4-3200	None
Ryzen 9 PRO 3900	12 / 24	3.1 / 4.3	6MB / 64MB	DDR4-3200	None

Memory

64GB max, UDIMM, DDR4-2666*, four 288-pin DIMM sockets, non-ECC, dual-channel capable
* Memory may be underclocked to DDR4 -1866, DDR4-2133, or DDR4-2400 for the lower capability of memory controller in processor

Storage

Some: Hard Drive / SATA 6.0Gb/s, 2.5" or 3.5", 5400 rpm or 7200 rpm
Some: M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4

Optical

Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm)
Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)

Onboard SATA

Three onboard SATA 6.0Gb/s connectors, RAID 0/1 support (RAID preset only available via special bid model)

Media reader

Optional 7-in-1 media reader

Graphics

AMD Radeon™ Graphics in processor (only for some processors), uses main memory, DirectX® 12, one VGA, two DisplayPort™ (Onboard VGA and DP ports are only available on the models with integrated graphics), supports 3 independent displays, works along with AMD discrete graphics to support more displays;
Max resolution: 4096x2160 (DP)@60Hz;
Some: **AMD Radeon™ 520**, DirectX 12, 2GB GDDR5, PCIe 3.0 x8 adapter, two DisplayPort, 30 watts (Max);
Max resolution: 4096x2160 (DP)@60Hz

Monitor cable

Optional DP to VGA, DP to DVI-D (single link), DP to dual DP, or DP to HDMI 1.4

Chipset

AMD PRO 560 FCH

Front ports* (Std.)

2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x microphone (3.5mm), 1x headphone (3.5mm)

Front ports* (Opt.)

Optional: 1x media reader

Rear ports* (Std.)

2x USB 3.1 Gen1 (one support Smart Power-On), 2x USB 2.0, 1x serial (9-pin), 1x ethernet (RJ-45), 1x VGA**, 2x DisplayPort**, 2x PS/2 ports (keyboard / mouse); 1x line-in (3.5mm), 1x line-out (3.5mm), 1x microphone (3.5mm)

Rear ports* (Opt.)

Optional: 2x USB 2.0, 1x parallel (25-pin), additional video ports available on optional graphics card

* Depending on many factors, actual data transfer speed may be lower than theoretical speed
** only available on the models with integrated graphics

Audio support

High Definition (HD) Audio, Realtek ALC662 / optional internal speaker (1 watt)

WLAN

Some: 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2
Some: 11ac wireless, M.2 Card, Qualcomm Atheros QCA6174A (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
Some: 11ac wireless, M.2 Card, Intel Wireless-AC 9260 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2

Bluetooth™

Some: Bluetooth 4.2 / 5.0 wireless, integrated in Wi-Fi + BT combo adapter

Ethernet

Gigabit ethernet, Realtek RTL8111EPV, Wake on LAN®

Ethernet (Opt.)

None

Manageability

DASH 10/1.1

Security chip

Discrete TPM 2.0, TCG Certified

Security features

- Security slot (in rear for optional Kensington® MicroSaver® cable)
- Padlock loop
- Smart USB protection, allows keyboard/mouse only, blocks all storage devices
- Optional smart cable clip to physically lock both keyboard and mouse
- Power-on password
- Administrator password
- Hard disk password
- Boot sequence control
- Boot without keyboard and mouse
- Individual USB port disablement
- Optional chassis intrusion switch

Keyboard

Some: Lenovo Traditional Keyboard (USB connector), black
Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black
Some: Lenovo Keyboard (PS/2 connector), black (only available via special bid)

Mouse

Some: Lenovo Calliope Mouse (USB connector), black
Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black
Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
Some: Lenovo Mouse (PS/2 connector), black (only available via special bid)

Mechanical

- SFF (8.4L), black color; metal case
- *(WxDxH)* 3.6" X 11.4" X 13.5"; 92.5mm X 290.5mm X 343.5mm
- Approx. 13.2 lb (6.0 kg), weight may vary by configuration
- Toolless cover, disk, optical, and extension card removal
- Optional dust filter

Bay 1: Slim external ODD bay
Bay 2: 3.5", internal, HDD/SSD
Bay 3: 2.5", internal, HDD/SSD (bay only comes with 2.5" 2nd disk)
Slot 1: low-profile (length < 150mm, height < 68mm), PCIe 3.0 x16
Slot 2: low-profile (length < 150mm, height < 68mm), PCIe 2.0 x1
Slot 3: low-profile (length < 150mm, height < 68mm), PCIe 2.0 x1
Slot 4: low-profile (length < 150mm, height < 68mm), PCI 3.0
M.2 card slots: two (one for WLAN, one for SSD)

Floor Stand

Optional system floor stand for vertical orientation

Power supply

Some: 180 watts, autosensing, 85% PSU
Some: 210 watts, autosensing, 85% PSU
Some: 260 watts, autosensing, 92% PSU (only available via special bid)

Limited warranty

1-year or **3-year**, **limited onsite service** / service upgrades available

Preload

Preloaded operating system
Some: Windows 10 Pro 64-bit
Some: Windows 10 Home 64-bit
Some: Windows 10 IoT Enterprise
Some: Linux Ubuntu

Environment

ENERGY STAR® 7.0*, EPEAT™ Silver rating* (*not for non-OS models); ErP Lot 3; RoHS-compliant, WEEE

Accessories

For compatible accessories, please go to **http://smartfind.lenovo.com**

Note: The specifications above may not be available in all regions.

ThinkCentre M75s SFF











