


CorePro LEDcapsule MV

CorePro LEDcapsule 2-25W ND G9 827 G

This single-ended mains-voltage capsule for G9-base luminaires delivers directional light, making it a true alternative to halogen capsule lamps. It is particularly suitable for task lighting in shops, hotels and restaurants, and ideal for desk lamps and cabinet lighting. Compatible with existing fixtures with G9 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap base	G9 [G9]
Nominal lifetime (nom.)	10000 h
Switching cycle	5000X
Technical type	2-25W

Light Technical	
Colour code	827 [CCT of 2,700 K]
Luminous flux (nom.)	200 lm
Colour designation	Warm white (WW)
Correlated colour temperature (nom.)	2700 K
Luminous efficacy (rated) (nom.)	100.00 lm/W
Colour consistency	<6
Color rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	2 W
Lamp current (nom.)	9.5 mA
Wattage equivalent	25 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.8
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	100 °C

Controls and Dimming	
Dimmable	No

Approval and Application	
Energy efficiency label (EEL)	A++
Energy Consumption kWh/1000 h	2 kWh

Product Data	
Full product code	871869973500500

CorePro LEDcapsule MV

Order product name	CorePro LEDcapsule 2-25W ND G9 827 G
EAN/UPC – product	8718699735005
Order code	73500500
Numerator – quantity per pack	1
Numerator – packs per outer box	12

Material no. (12NC)	929002326202
Net weight (piece)	0.006 kg

Dimensional drawing


Product	D	C
CorePro LEDcapsule 2-25W ND G9 827 G	13.5 mm	50 mm

R7S & G9 DOB ND EU/GMGC/LATAM GLASS

Photometric data

LEDcapsule G9 827

LEDcapsule 25W G9



LEDcapsule 25W G9 827

CorePro LEDcapsule MV

Lifetime

10K	10K

© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.