Product data sheet

Specifications



Discontinued

Li-Ion Battery 9540A - Battery Rack UL 16 modules Type E for GVS, EPS 7K,8K 1-PH

LIBSMG95EUL1PH

Discontinued on: Dec 31, 2021

End-of-service on: Oct 18, 2023

Overview

Presentation	UL 9540A tested Li-Ion Battery Cabinet with 16 battery modules (Type E) and 1ph SMPS for GVS, EPS7K,8K UPS (UL version)
Lead time	Usually Ships within 2 Weeks

Main

Product or Component Type	Battery cabinet
Battery Type	Li-Ion (Lithium Ion)
Provided Equipment	User Manual

Batteries & Runtime

Battery Placement	Battery Cabinet
Battery Slots Empty	0
Included Battery Modules	0
Battery manufacturer	Samsung
Device mounting	Enclosed battery cabinet
Battery Voltage	516.8 V

Physical

Color	White
Height	80.91 in (205.5 cm)
Width	25.59 in (65 cm)
Depth	20.87 in (53 cm)
Net Weight	1086.9 lb(US) (493 kg)
Mounting Mode	Not rack-mountable

Output

Battery Capacity	67000 mA.h

Conformance

Standards	IBC 2015
Product Certifications	UL Listed

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental

Ambient Air Temperature for Operation	64…82 °F (18…28 °C)
Ambient Air Temperature for Storage	32…104 °F (0…40 °C)
Storage Relative Humidity	0…60 %

Ordering and shipping details

GTIN	731304420965

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	86.61 in (220 cm)
Package 1 Width	20.87 in (53 cm)
Package 1 Length	47.24 in (120 cm)
Package 1 Weight	1131.0 lb(US) (513 kg)

Contractual warranty

Warranty	3 years repair or replace

Image of product / Alternate images

Alternative



