Paxxon 1000VA UPS with 4 IEC power outlets



#23843

1000VA Uninterruptable Power Supply (UPS)

Reliable 1000VA battery back-up UPS with 4 IEC power outlets, suitable to power and protect your electronic devices

Key features

- Reliable 1000VA UPS with built-in battery
- Provides temporary battery power during power outage; prevents loss of data and damage to hardware
- 4 IEC power outlets with battery and surge protection to connect your PC, monitor, printer and other hardware
- Surge protected outputs to prevent damage from power surges, spikes and fluctuations
- USB port and software to monitor the status of the UPS, sending alerts and automatic shutdown of your computer
- AVR function to ensure stable 230V output voltage



What's in the box

- UPS unit
- Power cable
- USB cable
- User guide

System requirements

- Grounded wall power connection
- For software: Windows 10/8/7, USB port
- 155MB of free hard disk space
- Latest software downloadable from: www.trust.com/23843/driver

4X IEC OUTLETS

SURGE PROTECTION

USB MONITORING

1000VA BATTERY

Publication date: 04-10-2020
© 2020 Trust. All rights reserved.
All brand names are registered trademarks of their respective owners.
Specifications are subject to change without prior notice.

Item number: 23843
URL: www.trust.com/23843
EAN Code: 8713439238433
High resolution images: www.trust.com/23843/materials

Paxxon 1000VA UPS with 4 IEC power outlets




Reliable Power and Data Solution

The Trust Paxxon 1000VA offers reliable power and protection for your devices. This UPS is a secondary power source to your electronics, keeping them running temporarily during power grid blackouts, and protecting them from power surge damage.

Protect Your Devices

With 4 standard IEC power outlets, the Paxxon is equipped to protect whatever hardware is connected to it, like PCs, monitors and printers*. With its high-capacity 1000VA battery, you can connect devices up to a maximum total of 600 Watts or 1000VA.*Not intended for home appliances






Safe Shutdown

During a blackout, the large battery generously covers the power needs of an average PC setup. With 2 minutes of runtime* to save your work and safely shut the system down, the quality of your files and equipment is guaranteed to be maintained.*At 450W capacity load

Pro Features and Software

Paxxon's USB connection and downloadable PC software enable you to program the UPS to execute an automated shutdown, in case of a power outage. If you'd rather save your work and power off manually, the software allows you to set visible and audible signals to alert you, as well as monitor the power supply status at all times.



Publication date: 04-10-2020
© 2020 Trust. All rights reserved.
All brand names are registered trademarks of their respective owners.
Specifications are subject to change without prior notice.

Item number: 23843
URL: www.trust.com/23843
EAN Code: 8713439238433
High resolution images: www.trust.com/23843/materials

Paxxon 1000VA UPS with 4 IEC power outlets



Stable Output

Thanks to the AVR function, the UPS will maintain a stable output voltage. In the event of power surges or spikes, your equipment is in safe hands. So safe, that we're offering an extended warranty of up to € 20.000 on connected equipment.**** Check conditions on trust.com

Publication date: 04-10-2020
© 2020 Trust. All rights reserved.
All brand names are registered trademarks of their respective owners.
Specifications are subject to change without prior notice.

Item number: 23843
URL: www.trust.com/23843
EAN Code: 8713439238433
High resolution images: www.trust.com/23843/materials

Paxxon 1000VA UPS with 4 IEC power outlets

GENERAL

Height of main product (in mm)	320 mm	**Width of main product (in mm)**	182 mm
Depth of main product (in mm)	130 mm	**Total weight**	7800 g
Weight of main unit	7800 g		

OUTPUT

Output power capacity (VA)	1000 VA	**Output power capacity (W)**	600 W
Output voltage range	Nominal voltage	**Frequency response UPS**	50Hz +/- 1Hz
Waveform type	Simulated sine wave		

PROTECTION

Protections	Current-recoil, over-charge, over-cranking, over-current, over-discharge, over-heat, over-load, short-circuit	**Auto Voltage Regulation**	True
RFI-filter	False	**Surge protected AC outlets**	True
Surge protected phone line	False		

POWER

Number of batteries	2	**Battery composition (Alkaline, Li-ion, etc.)**	Lead Acid
Power inlet connection	Schuko (Type F)	**Power outlet socket type**	IEC-C13
Battery capacity (Ah)	7 Ah	**Battery voltage (V)**	12 V
Number of power outlets	4	**Battery charge time (hours)**	8 hours
100% capacity runtime (seconds)	28 seconds	**50% capacity runtime (minutes)**	5 minutes

FEATURES

Management function (USB)	True	**USB connection**	True
Status display	False	**Audible alarm**	True
Software	True		

INPUT

Nominal input voltage	220-240Vac	**Operating frequency range**	50/60Hz
Operating voltage range	162-290Vac		

Publication date: 04-10-2020
© 2020 Trust. All rights reserved.
All brand names are registered trademarks of their respective owners.
Specifications are subject to change without prior notice.

Item number: 23843
URL: www.trust.com/23843
EAN Code: 8713439238433
High resolution images: www.trust.com/23843/materials

Paxxon 1000VA UPS with 4 IEC power outlets

CONNECTIVITY

Cables included	4 IEC power cables	**Cable detachable**	True
Cable length main cable	140 cm		

CONTROL

Indicators	Activity, Battery, Battery empty, Overload, Power

Publication date: 04-10-2020
© 2020 Trust. All rights reserved.
All brand names are registered trademarks of their respective owners.
Specifications are subject to change without prior notice.

Item number: 23843
URL: www.trust.com/23843
EAN Code: 8713439238433
High resolution images: www.trust.com/23843/materials

Paxxon 1000VA UPS with 4 IEC power outlets



PRODUCT VISUAL 1




PRODUCT PICTORIAL 1




PRODUCT PICTORIAL 2




PRODUCT PICTORIAL 3



PRODUCT PICTORIAL 4



PRODUCT PICTORIAL 5



PRODUCT PICTORIAL 6



PRODUCT ESHOT 1



PRODUCT VISUAL 2



PRODUCT FRONT 1



PRODUCT BACK 1



PACKAGE VISUAL 1

Publication date: 04-10-2020
© 2020 Trust. All rights reserved.
All brand names are registered trademarks of their respective owners.
Specifications are subject to change without prior notice.

Item number: 23843
URL: www.trust.com/23843
EAN Code: 8713439238433
High resolution images: www.trust.com/23843/materials