20 Pack Cable Raceway T Connector for CBMCWD5020 - Cable Management Accessories - 3 Way Raceway Fitting Connectors - T Type Connector - Wiring Duct Tee Connector - UL Rated

Product ID: CBMCWD5020T



This 20-pack of raceway T connectors work with the StarTech.com CBMCWD5020 raceway system.

Use these cable raceway T connectors with the StarTech.com CBMCWD5020 raceway to join three of them together in a T-bar configuration in your office or server room.

Made from sturdy self-extinguishing ABS that's also warp proof, these wiring duct connectors are UL approved with 94HB Flamability (Horizontal Burning) Rating.

Combine this T connector with other StarTech.com CBMCWD5020 raceway system accessories to give your cable management solution a finished look.

The Coupler (CBMCWD5020C) (20-Pack), joins two raceways together and extends the length of your raceway.

The End Piece (CBMCWD5020E) (20-Pack), cleanly caps off the end of your raceway.

The Inside Elbow (CBMCWD5020I) (20-Pack), joins two raceways together inside of corners at 90 degree angle.

The Lateral Elbow (CBMCWD5020L) (20-Pack), joins two raceways together and runs them up the wall at a 90 degree angle.

The Outside Elbow (CBMCWD5020O) (20-Pack), joins two raceways together around corners at a 90 degree angle.

These cable management raceway T connectors are TAA compliant and backed by a StarTech.com 2-year warranty and free 24/5 technical support. StarTech.com has been the IT professionals choice for over 30 years.

Certifications, Reports and Compatibility

Applications

• Protects cables from damage while neatly routing them in your office or server room

Features

• GIVE YOUR CABLE MANAGEMENT RACEWAY A FINISHED LOOK: Use Cable Raceway T-Connectors (20 pack) to join three StarTech.com CBMCWD5020 raceways together and make a right-angle T-branch in your workspace

• INDUSTRIAL STRENGTH: Made from sturdy warp-proof ABS, these T-Connectors are UL approved with 94HB Flamability (Horizontal Burning) Rating, self-extinguishing

• OTHER RACEWAY ACCESSORIES: Coupler (CBMCWD5020C), End Piece (CBMCWD5020E), Inside Elbow (CBMCWD5020I), Lateral Elbow (CBMCWD5020L), Outside Elbow (CBMCWD5020O); sold separately

• TECHNICAL SPECIFICATIONS: 90 Angle Connector Width: 2.1" (54.3mm) Connector Height: 0.9" (22mm) White RoHS

• STARTECH.COM ADVANTAGE: IT professionals choice for over 30 years; These wiring duct fitting tee type connectors are backed for 2 years by StarTech.com, including free 24/5 multi lingual tech support

Physical Characteristics		
	Warranty	2 Years
	Color	White
	Material	ABS
	Product Length	2.9 in [74.0 mm]
	Product Width	3.7 in [94.1 mm]
	Product Height	0.9 in [22.0 mm]
	Weight of Product	0.6 oz [18.0 g]
Packaging Information		
	Package Length	11.1 in [28.1 cm]
	Package Width	15.9 in [40.5 cm]
	Package Height	3.9 in [100.0 mm]
	Shipping (Package) Weight	14.1 oz [400.0 g]

What's in the Box

Included in Package	T-Connectors

Product appearance and specifications are subject to change without notice.