

LogiLink®

USB-C™ PD Travel Charger, 75W

2 x USB-C PD Ports & 2 x USB-A Ports

Art. No.: **PA0232**



Reduce clutter & save space when traveling, and leave all of your original mobile/laptop chargers at home; all you need to bring is this 4-Port USB-C Travel Charger.

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0232

4 052792 057836

Made in China



LogiLink®

USB-C™ PD Travel Charger, 75W

2 x USB-C PD Ports & 2 x USB-A Ports

Art. No.: **PA0232**

Best Connectivity



1 Charger for 4 Devices

Charge your power-hungry devices with two USB-C and two USB-A ports at the same time. Provides up to 75W in total.





Multiple Protection

Supports overcurrent, overvoltage, overheating and short circuits protections.

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0232
4 052792 057836
Made in China



LogiLink®

USB-C™ PD Travel Charger, 75W

2 x USB-C PD Ports & 2 x USB-A Ports

Art. No.: **PA0232**

Best Connectivity



Stylish and Compact Design

The compact size with fabric design fits easily in your laptop bag or backpack, making it the perfect notebook accessory.





Wide Compatibility

Able to charge any USB device like smartphones, tablets, laptops, power banks, Bluetooth devices, etc.

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0232

4 052792 057836

Made in China



LogiLink®

USB-C™ PD Travel Charger, 75W

2 x USB-C PD Ports & 2 x USB-A Ports

Art. No.: **PA0232**

Best connectivity

Specification:

Input	100 - 240V AC 50/60Hz
Output	2 x USB-A port: 5.0V/2.4A (12W) max. USB-C port 1: 5.0V/3.0A (15W), 9.0V/3.0A (27W), 15V/3.0A(45W), 20V/2.25A (45W) USB-C port 2: 5.0V/3.0A (15W), 9.0V/2.0A (18W)
Protections	Overcurrent, overvoltage, overheating and short circuit
Ripple And Noise	≤ 200mV
Efficiency	≥ 81.4%@5V ≥ 86.7%@9V ≥ 87.8%@15V ≥ 88%@20V
Operating Temperature Range	0~25°C
Storage Temperature Range	-20°C ~ 85°C
Operating Relative Humidity	20% ~ 90% RH
Storage Relative Humidity	5% ~ 95% RH
Dimension	92.8 x 78 x 29mm
Weight	230g (without power cord)

Compatible Products from LogiLink:



+



PA0224
USB-C™ to Microsoft® Surface Charging Cable



PA0225
USB-C™ to Apple MagSafe® Charging Cable



PA0226
USB-C™ to Apple MagSafe® 2 Charging Cable

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0232
4 052792 057836
Made in China

LogiLink®



USB-C™ PD
Travel Charger, 75W
2 x USB-C PD Ports & 2 x USB-A Ports

Art. No.: **PA0232**



Package Contents:
» 1 x USB Travel Charger
» 1 x Power Cord
» 1 x User Manual

Package Information:
» Packing Dimension: 180 x 140 x 35mm
» Packing Weight: 0.37kg
» Carton Dimension: 380 x 370 x 300mm
» Carton Q'ty: 40pcs
» Carton Weight: 14.9kg

Best connectivity

RoHS compliant CE

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

PA0232
4 052792 057836
Made in China