

Classic filament LED candles and lustres

Classic LEDCandleDT 3.2-25W E14 CRI90 B35CL

Featuring a classic heritage design, filament LED candles and lustres combine the familiar shapes of classic incandescent candles or lustres with the benefits of long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light candles and lustres.

Product data

General Information	
Cap base	E14 [E14]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
Technical type	3.2-25W

Light Technical	
Colour Code	927-922 [CCT of 2,700 K-2,200 K]
Beam Angle (Nom)	270 °
Luminous flux (nom.)	250 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2700 2200 K
Luminous efficacy (rated) (nom.)	78.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	3.2 W
Lamp current (nom.)	17 mA
Wattage equivalent	25 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	50 °C

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Lamp Finish	Clear

Approval and Application	
Energy efficiency label (EEL)	A+

Classic filament LED candles and lustres

Energy consumption kWh/1,000 hours	4 kWh

SAP numerator – quantity per pack	1
SAP numerator – packs per outer box	10
SAP material	929002393202
Net Weight (Piece)	0.010 kg

Product Data

Full product code	871869977058700
Order product name	Classic LEDCandleDT 3.2-25W E14 CRI90 B35CL
EAN/UPC – product	8718699770587
Order code	77058700

Dimensional drawing



Product	D	C
Classic LEDCandleDT 3.2-25W E14 CRI90 B35CL	35 mm	99 mm

B35 230V 4-25W 250lm 2700-2200K E14 D CL

Photometric data



LEDbulb CLA 3,2W B35 E14 927 922 CL



LEDbulb CLA 3,2W B35 E14 927 922 CL



LEDbulb CLA WGD CRI90

Classic filament LED candles and lustres

Lifetime





15K LED

15K LMP

© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.