

Ledinaire Slim Downlight DN065B G2 & DN065C

DN065B G2 LED10/840 11W 220V L150 SQ EU

840 neutral white - Power supply unit - White

The LEDINAIRE range contains a selection of popular off-the-shelf LED luminaires that come with the high Philips quality levels at a competitive price. Reliable, energy-efficient and affordable – just what you need

Product data

General Information	
Light source color	840 neutral white
Driver/power unit/transformer	Power supply unit
Luminaire light beam spread	110°
Connection	Connection unit 2-pole
Protection class IEC	Safety class II
Warranty period	5 years

Operating and Electrical	
Power Factor (Min)	0.75

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Optic material	Polycarbonate
Fixation material	Steel
Optical cover/lens finish	Matte
Overall length	175 mm
Overall width	175 mm
Overall height	39 mm
Color	White
Dimensions (Height x Width x Depth)	39 x 175 x 175 mm (1.5 x 6.9 x 6.9 in)

Approval and Application	
Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK03 [0.3 J]

Initial Performance (IEC Compliant)	
Initial LED luminaire efficacy	90.00 lm/W
Init. Corr. Color Temperature	4000 K
Init. Color Rendering Index	80

Ledinaire Slim Downlight DN065B G2 & DN065C

Initial chromaticity	(0.3794, 0.3742) 5SDCM
Initial input power	11 W
Power consumption tolerance	+/-10%

Over Time Performance (IEC Compliant)

Median useful life L70B50	50000 h

Application Conditions

Ambient temperature range	-20 to +40 °C

Product Data

Full product code	871869967949100

Order product name	DN065B G2 LED10/840 11W 220V L150 SQ EU
EAN/UPC - Product	8718699679491
Order code	929002220932
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929002220932
Net Weight (Piece)	0.210 kg

IK03

Dimensional drawing



Product	C	D
DN065B G2 LED10/840 11W 220V L150 SQ EU	39 mm	175 mm

DN065B LED10 840 12W 220-240V L150 EU ND

Photometric data



DN065B G2 LED10 830

Ledinaire Slim Downlight DN065B G2 & DN065C

© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com
2020, November 11 - data subject to change