PHILIPS

Lighting



Classic filament LEDbulbs



MAS LEDBulbDT3.4 -40W E27 927 A60 FR G

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	25000 h
Switching cycle	20,000X
	Sphere

Light Technical	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]
Luminous flux (nom.)	470 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2200 2700 K
Luminous efficacy (rated) (nom.)	138.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	3.4 W
Lamp current (nom.)	24 mA
Wattage equivalent	40 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.6
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	70 °C

Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]


Approval and Application	
Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	4 kWh
	453243

Classic filament LEDbulbs

Product Data	
Full product code	871951432467100
Order product name	MAS LEDBulbDT3.4 -40W E27 927 A60 FR G
EAN/UPC – product	8719514324671
Order code	32467100
SAP numerator – quantity per pack	1

Numerator – packs per outer box	10
SAP material	929003010002
SAP net weight (piece)	0.030 kg


Dimensional drawing




Product	D	C
MAS LEDBulbDT3.4 -40W E27 927 A60 FR G	60 mm	104 mm

Bulb A60 EU 3.5-40W 475lm WG E27 FR


Photometric data



LEDbulb MAS SLR A60 3,4W E27 927 FR-LDD




LEDbulb MAS SLR 3,4W A60 E27 927 CL-POC




LEDbulb MAS SLR 3,4W A60 E27 927 FR-GUL

Classic filament LEDbulbs

Lifetime





LEDspots LED 25K

LEDspots LMP 25K

© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.