

CorePro LEDcandle

CorePro LEDcandle ND 7-60W E14 827 B38 FR

The frosted CorePro LEDcandle is designed for retrofit replacement of incandescent lamps. It is compatible with fixtures with an E14 holder and is an attractive product for chandeliers. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap base	E14 [E14]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X

Light Technical	
Colour Code	827 [CCT of 2,700 K]
Luminous flux (nom.)	806 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	115.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	7 W
Lamp current (nom.)	59 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s

Power factor (nom.)	0.51
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	87 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	B38


Approval and Application	
Energy consumption kWh/1,000 hours	7 kWh

Product Data	
Full product code	871951431296800
Order product name	CorePro LEDcandle ND 7-60W E14 827 B38 FR
EAN/UPC – product	8719514312968
Order code	31296800
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10

CorePro LEDcandle

SAP material	929002972502
SAP net weight (piece)	0.053 kg


Dimensional drawing




Product	D	C
CorePro LEDcandle ND 7-60W E14 827 B38 FR	38 mm	114 mm

Candle B38 7-60W 806lm 2700K E14 ND FR


Photometric data



LEDcandle CorePro B38 7W E14 827 FR-LDD




LEDcandle CorePro 7W B38 E14 827 FR-POC




LEDcandle CorePro 7W B38 E14 827-GUL

CorePro LEDcandle

Lifetime



15K LED



15K LMP

© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.